

**TOWN OF GLASTONBURY
GL-2018-09
HEBRON AVENUE (RTE. 94) FENCE REPLACEMENT
LOCATED ALONG THE EXISTING MULTI USE TRAIL**

**ADDENDUM NO. 1
OCTOBER 10, 2017**

BID DUE DATE: OCTOBER 12, 2017 11:00 A.M.

The attention of bidders submitting proposals for the above-referenced project is called to the following Addendum to the specifications. The items set forth herein, whether of omission, addition, substitution or other change, are all to be included in and form a part of the proposed Contract Documents for the work. Bidders shall acknowledge this Addendum in the Bid Proposal by inserting its number on Page BP-1.

Make the following modifications to the Contract Documents:

SPECIAL PROVISIONS:

Delete paragraph 2 of the Materials Section of Special Provision Item # 0906216A-Pressure Treated Post and Board Fence located on page SP-4:

TIMBERS: Shall be Rough Sawn, No. 2 or better Southern Yellow Pine timbers. impregnated with waterborne CCA preservative. Treat to a minimum retention of .40 lbs per cubic foot. Timbers shall be properly seasoned when dressed and at time of treatment to 20% maximum moisture content. Air or kiln dry after treatment.

Replace paragraph 2 of the Materials Section of Special Provision Item # 0906216A-Pressure Treated Post and Board Fence located on page SP-4 with the following:

POSTS AND RAILS: Shall be Dimensional Lumber, No. 2 or better Southern Yellow Pine timbers. Pressure impregnated with waterborne CCA preservative. Treat to a minimum retention of .40 lbs per cubic foot. Lumber shall be properly seasoned when dressed and at time of treatment to 20% maximum moisture content. Air or kiln dry after treatment.

END OF ADDENDUM NO. 1