

**TOWN OF GLASTONBURY
BID NO. GL-2020-07**

MAIN STREET RAISED TRAFFIC ISLAND

**ADDENDUM NO. 1
SEPTEMBER 16, 2019**

BID DUE DATE: SEPTEMBER 19, 2019 11:00 A.M.

The attention of bidders submitting proposals for the above-referenced project is called to the following Addendum to the specifications. The items set forth herein, whether of omission, addition, substitution or other change, are all to be included in and form a part of the proposed Contract Documents for the work. Bidders shall acknowledge this Addendum in the Bid Proposal by inserting its number on Page BP-1.

Make the following modifications to the Contract Documents:

BID PROPOSAL FORM:

The bid proposal form is hereby replaced with the attached. ALL BIDDERS MUST USE THE **REVISED BID PROPOSAL FORM.**

CONSTRUCTION PLANS:

Sheets 1 of the plan set titled "PLAN DEPICTING PROPOSED TRAFFIC ISLAND IMPROVEMENTS LOCATED AND MAIN STREET AND HEBRON AVENUE, GLASTONBURY CONNECTICUT" is hereby replaced with the attached plan. Changes shown on Sheet 1 include notes depicting removal and resetting of existing brick pavers in the vicinity of the existing town-owned locus tree which is to be completed as described in the special provision listed below.

SPECIAL PROVISIONS:

The following Special Provisions are hereby added to the contract:

ITEM 0992093A REMOVE AND RESET BRICK PAVERS

This Addendum Contains 6 Pages including the above text and 1 Plan Sheet.



TOWN OF GLASTONBURY * 2155 MAIN STREET * GLASTONURY * CT

BID / PROPOSAL NO: GL-2020-07 DATE DUE: September 19, 2019
DATE ADVERTISED: September 6, 2019 TIME DUE: 11:00 AM
NAME OF PROJECT: Main Street Raised Traffic Island

In compliance with this Invitation to Bid, the Bidder hereby proposes to provide goods and/or services as per this solicitation in strict accordance with the Bid Documents, within the time set forth therein, and at the prices submitted with their bid response.

It is the responsibility of the Bidder to clearly mark the outside of the bid envelope with the Bid Number, Bid Title, Date and Time of Bid Opening, and it also **THE RESPONSIBILITY OF THE BIDDER TO CHECK THE TOWN'S WEBSITE BEFORE SUBMITTING BID FOR ADDENDA POSTED PRIOR TO BID OPENING.**

THE BIDDER ACKNOWLEDGES RECEIPT OF THE FOLLOWING ADDENDA AS REQUIRED:

Addendum #1 _____(Initial/Date) Addendum #2 _____ (Initial/Date) Addendum #3 _____(Initial/Date)

OTHER ITEMS REQUIRED WITH SUBMISSION OF BID PROPOSAL:

The following bid checklist describes items required for inclusion with the above-referenced bid proposal package. It is provided for the convenience of the bidders and, therefore, should not be assumed to be a complete list.

- _____ 1. Included Bid Bond as per Section 10 of the Information for Bidders.
- _____ 2. Included Disclosure of Past and Pending Mediation, Arbitration, and Litigation cases against the Bidder or its Principals as per Section 17 of the Information for Bidders.
- _____ 3. Included Qualifications Statement as per Section 20 of the Information for Bidders.
- _____ 4. Checked Town web site for Addenda and acknowledged Addenda on page BP-1.
- _____ 5. Acknowledged Non-Collusion Affidavit on page BP-3.
- _____ 6. Acknowledged Code of Ethics on page BP-3.
- _____ 7. Clearly marked envelope with Bid Number, Bid Title, Date, Time of opening, Bidder's Company Name and address.

**MAIN STREET RAISED TRAFFIC ISLAND
 BID PROPOSAL – REVISED**

**ADDENDUM 1
 BID #GL-2020-07**

BIDDER NAME: _____

<u>LINE NO.</u>	<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>UNIT</u>	<u>QTY</u>	<u>UNIT PRICE</u>	<u>EXT</u>
-----------------	-----------------	-------------------------	-------------	------------	-------------------	------------

1	0202000A	EARTH EXCAVATION	L.S.	1		
2	0202451A	TEST PIT EXCAVATION	C.Y.	4		
3	0219011A	SEDIMENT CONTROL SYSTEM AT CATCH BASIN	EA.	1		
4	0303051A	BRICK PAVERS ON 4" CONCRETE BASE SLAB	S.F.	259		
5	0303061A	4" CONCRETE BASE SLAB FOR PAVERS	S.F.	259		
6	0404100A	BITUMINOUS CONCRETE PATCHING-FULL DEPTH	S.Y.	65		
7	0507001A	TYPE 'C' CATCH BASIN	EA.	1		
8	0651746A	12" PVC PIPE (SCHED. 40)	L.F.	48		
9	0813042A	6" X 20" GRANITE STONE CURBING	L.F.	29		
10	0813052A	6" X 20" GRANITE CURVED STONE CURBING	L.F.	26		
11	0814002A	RESET GRANITE STONE CURBING	L.F.	12		
12	0921001A	CONCRETE SIDEWALK	S.F.	560		
13	0921005A	CONCRETE SIDEWALK RAMP	S.F.	65		
14	0970006A	TRAFFIC PERSON (MUNICIPAL OFFICER)	EST.	1	\$5,000.00	\$5,000.00
15	0971001A	MAINTENANCE AND PROTECTION OF TRAFFIC	L.S.	1		
16	0981100	42" TRAFFIC CONE	EA.	15		
17	12220013	CONSTRUCTION SIGNS BRIGHT FLOURESCENT SHEETING	S.F.	110		
18	1403501A	RESET MANHOLE (SANITARY SEWER)	EA.	1		
19	0992093A	REMOVE AND RESET BRICK PAVERS	S.F.	194		

BIDDER NAME: _____

TOTAL BID AMOUNT: \$ _____
(Numeric)

WRITTEN TOTAL BID AMOUNT: _____

NON-COLLUSION AFFIDAVIT:

By submission of this bid, the Bidder certifies, and in the case of a joint bid each party thereto certifies as to their own organization that this bid has been arrived at independently without consultation, communication, or agreement as to any matter relating to this bid with any other Bidder or with any competitor.

CODE OF ETHICS:

I/We have reviewed a copy of the Town of Glastonbury's Code of Ethics and agree to submit a Consultant Acknowledgement Form if I/We are selected. Yes _____ No _____*

*Bidder is advised that effective August 1, 2003, the Town of Glastonbury cannot consider any bid or proposal where the Bidder has not agreed to the above statement.

Respectfully submitted:

Type or Print Name of Individual

Doing Business as (Trade Name)

Signature of Individual

Street Address

Title

City, State, Zip Code

Date

Telephone Number/Fax Number

E-Mail Address

SS# or TIN#

(Seal – If bid is by a Corporation)

Attest

ITEM # 0992093A REMOVE AND RESET BRICK PAVERS

Description:

This item shall consist of removing and resetting existing brick pavers on a base of compacted process stone and stone dust including all excavation, removal and disposal of surplus material, processed stone base, stone dust, removal and placing of brick pavers, polymeric sand joint filler, cutting of brick pavers, labor, materials, tools, and equipment necessary to remove and reset the existing brick pavers in the locations indicated on the plans or as directed by the Engineer. **Work area for resetting brick pavers is adjacent to a high quality Town locus tree that is to be protected during the course of this work. No stockpiling of materials or access by heavy equipment will be allowed beneath the canopy of this tree.**

Materials:

Processed Stone Base: The material for this item shall be crushed trap rock conforming to the requirements of Article M.05.01 Processed Aggregate Base and Pavement of the Form 817, except that coarse aggregate shall be broken stone, and fine aggregate shall be stone sand, screenings, or a combination thereof. Gravel or reclaimed miscellaneous aggregate shall not be used.

Stone dust: Shall be native blue-grey crushed trap rock conforming to Form 817, Article M.01.03 Gradation: "dust".

Polymeric Sand Joint Filler: Shall be as manufactured by: The Quikrete Companies Atlanta, Georgia 30305 www.quikrete.com, Sakrete of North America Charlotte, North Carolina www.Sakrete.com, or approved equal.

Construction Methods:

The Contractor shall carefully remove existing brick pavers and stockpile them adjacent to the work area for reuse. No excavation shall take place within the root zone of the adjacent locus tree. Within the work area, any unsuitable material found under the bricks shall be removed using hand methods with care not to damage existing tree feeder roots. Process stone shall then be added to the surface of the existing base course and the area fine graded and compacted as required to create a firm, evenly graded surface. The Contractor shall then place a layer of stone dust 1" in thickness on the properly prepared processed stone base. The stone dust setting course shall be thoroughly compacted and present a hard smooth surface. After the stone dust has been properly prepared, Brick Pavers shall be placed at the final grades. The brick shall be placed tightly. The Contractor shall place the polymeric sand joint filler into all joints according to manufacturer specifications ensuring sand is completely installed to the full depth of the brick pavers.

Method of Measurement:

This work shall be measured by the actual number of square feet of Remove and Reset Brick Pavers completed and accepted.

Basis of Payment:


This work shall be paid for at the contract unit price per square foot, complete in place, which price shall include all required excavation and disposal of surplus material, tree protection, furnishing and placing brick pavers, processed stone base, stone dust, compaction, polymeric sand joint filler, cutting of brick pavers, equipment, tools, materials and labor incidental thereto.

<u>Item No.</u>	<u>Description</u>	<u>Unit</u>
0992093A	REMOVE AND RESET BRICK PAVERS	S.F.

FILE: H:\DWG\Streets>Main St\PW-1907 MAIN STREET ISLAND ADDITION (6-24-2019)PW-1907 ISLAND ADDITION (6-24-2019)PW-1907 USER: Charles Stoughton DATE: 9/13/2019


GENERAL NOTES:

1. PROJECT OWNER IS THE TOWN OF GLASTONBURY.
2. GOVERNING SPECIFICATIONS ARE THE CONNECTICUT DEPARTMENT OF TRANSPORTATION SPECIFICATIONS FOR ROADS, BRIDGES, FACILITIES, AND INCIDENTAL CONSTRUCTION FORM 817 WITH SUPPLEMENTS THERETO DATED JULY, 2018.
3. PROJECT AREA IS ZONED TOWN CENTER.
4. THE LOCATION OF UNDERGROUND UTILITIES DEPICTED HEREIN ARE BASED ON INFORMATION PROVIDED BY OTHERS AND SHOULD BE CONSIDERED APPROXIMATE. THE ACTUAL LOCATIONS MAY VARY FROM THAT INDICATED ON THE PLANS AND ALL UNDERGROUND UTILITIES MAY NOT BE SHOWN. CONTRACTOR SHALL CONTACT CALL BEFORE YOU DIG TO VERIFY THE LOCATION OF ALL UNDERGROUND UTILITIES AND RESOLVE CONFLICTS PRIOR TO STARTING CONSTRUCTION.
5. TOPOGRAPHY DEPICTED ON THE PLANS IS BASED ON ACTUAL FIELD SURVEY CONDUCTED BY THE TOWN OF GLASTONBURY IN JUNE, 2019. HORIZONTAL COORDINATES ARE BASED ON NAD83, VERTICAL DATUM IS NGVD88.




GRADING DETAIL
SCALE: 1"=10'


LOCATION PLAN
SCALE: 1"=1000'



PLAN
SCALE: 1"=10'



CURB LAYOUT PLAN
SCALE: 1"=5'




ALL UTILITY INFORMATION AND DATA SHOWN OR INDICATED IN THE CONTRACT DOCUMENTS ARE COMPILED FROM MAPS AND DATA FURNISHED BY OTHERS. ANY SUCH INFORMATION SHOULD NOT BE CONSTRUED AS ACCURATE OR COMPLETE, AND THE CONTRACTOR SHALL VERIFY ALL LOCATIONS PRIOR TO CONSTRUCTION.

THE LOCATION OF UNDERGROUND UTILITIES DEPICTED HEREON ARE BASED ON FIELD LOCATIONS AND BY INFORMATION PROVIDED BY OTHERS. THEIR TRUE LOCATIONS MAY VARY FROM THOSE INDICATED, AND ALL UNDERGROUND UTILITIES MAY NOT BE SHOWN. IF APPLICABLE, UTILIZE THE "CALL BEFORE YOU DIG" NUMBER (1-800-922-4455), TO VERIFY THE LOCATION OF ALL UNDERGROUND UTILITIES, AND RESOLVE CONFLICTS PRIOR TO STARTING CONSTRUCTION, REPAIR OR DESIGN.

DRAWING ISSUE STATUS		
NO.	DESCRIPTION	DATE
1	ADDENDUM 1 RESET BRICK PAVERS AROUND TREE	9/16/2019



SCALE: AS SHOWN	DATE: 8/28/2019
DRAWN BY: C.F.S.	CHECKED BY: S.M.B.
APPROVED BY: D.A.P.	ST. FILE:



PLAN
DEPICTING PROPOSED
TRAFFIC ISLAND IMPROVEMENTS
located at
MAIN STREET & HEBRON AVENUE
GLASTONBURY, CONNECTICUT

SHEET NO. **1**
OF **2**

PW-1907