

TOWN OF GLASTONBURY www.glastonbury-ct.gov HISTORIC DISTRICT COMMISSION APPLICATION FOR A CERTIFICATE OF APPROPRIATENESS

The Glastonbury Historic District welcomes you to the Certificate of Appropriateness process, an important component of ongoing efforts to maintain and enhance the character and integrity of the Main Street Historic District. Applicants are urged to meet informally with Community Development Planning Staff prior to application submission.

To Be Completed by the Property Owner/Applicant/Agent

• Addre	ess of proposed work, 2039 Main Street a	nd 2033 Main Street Date 7/16/20					
	_r Marlise Davis	Marlise Davis					
-		Signature of Owner (required)					
Telep	hone Number <u>860-657-8585</u>	e-mail address marliserandle@aol.com					
• Appli	cant/Agent (other than owner)						
Telephone Number		e-mail address					
To Be Provid	ed by the Property Owner/Applicant/Ag	<u>ent</u>					
ĽΧ		9 sets) – submitted to the Glastonbury Office I, 2155 Main Street, Glastonbury, CT 060333 able to the "Town of Glastonbury"					
X	Project narrative/description of all wor to be used	k including details of changes and materials					
X□	Photo(s) of existing building elevations where changes are proposed – copy of photos printed on $8\frac{1}{2}$ "x 11 " sheet(s)						
	Scale drawing/plan for any addition, new building – said drawing/plan shall identify the size and location of all existing buildings and the size and location of all proposed building additions or new structures. If there is any demolition proposed, the extent of the demolition shall be specifically highlighted.						
	Any other exhibits or information that	would benefit the Commission					
	sed that modifications to completed applications are up to and including a new Public Heat						
Commission.		ring will be scheduled by the Historic District newspaper with circulation in Glastonbury and a ys in advance of the hearing.					
		V VVV-2-0-0-0-0-0-1-0-1-0-1-0-1-0-1-0-1-0-1-0					

The Historic District Commission recommends that before any restorations/alterations are done to a historic building, the applicant consult the latest edition of *The Secretary of the Interior's Standards for the Treatment of Historic Properties with Illustrated Guidelines for Preserving, Rehabilitating, Restoring, and Reconstruction Historic Buildings* and *The Secretary of the Interior's Standards for the Treatment of Historic Properties with Guidelines for the Treatment of Cultural Landscapes.*

For Office Use		
Date Received:	Fee Paid:	Cash / Check
Hearing Scheduled	Hearing Advertised	1.
Action		2
Notice of Action to Applicant		

Rev. 2008

Application for Historic District


2033 Main Street and 2039 Main Street (Apartment)

Table of Contents

Kitchen Window Replacement (2033 Main Street)	2
Kitchen Window Replacement (2039 Main Street)	4
Exterior Door Replacement (First Floor)	e

Kitchen Window Replacement (2033 Main Street)

Picture of Current Window to be Replaced



NOTES: The current window needs to be replaced. The existing structure and opening is not expected to change.

Enlarged photo on the next page.

Order Quote from National Building Products

FCAX 3' 2" x 3' 2 1/2" (Active Left - Passive Right)

RO Size = 3" 2 1/2" W x 3' 3" H Unit Size = 3' 2" W x 3' 2 1/2" H

Unit, French Casement, White 2604, Pine w/White - Painted Interior, Active Left - Passive Right, Dual Pane Low-E4 SmartSun HeatLock Standard (Annealed) Clear, Argon Fill, Ovolo (Cotonial) Glass Stop, Black Glass / Grille Spacer, Piano Hinge, No Hardware, Standard Lock, Rigid Vinyt wilntegral /myl Orip Cap, While Weatherstrip, 7 1/2" Step Jamb wilntenor Extension Jamb Pine wWhite - Painted 11/16" x 11/16" w/Standard Complete Unit Extension Jambs

BRZ AX FOLDING CRANK CRANK HANDLE W1080-300KN2 BRZ AX PLST OP CVR LH/RH PIANOW 1080-100KN2 PLASTIC BRZ AX PLST OP CVR RH/LH PIANOW 1080-200KN2 PLASTIC Full Insect Screen, w/White Finish w/Fiberglass Mesh

Zone: Northern U-Factor; --. SHGC --. ENERGY STARS Certified; --

Window Details from Anderson Windows



MY FAVORITES (0)

GET HELP

Finantal Validat

% 1-80!

ABOUT

WINDOWS

DOORS

IDEAS & INSPIRATION

PARTS & SUPPORT


WHERE TO BUY

FOR PROS

Home / Windows & Doors / Windows / Casement / E-Series French Casement Window







F_SERIES

FRENCH CASEMENT WINDOW

The E-Series French casement window is fully customizable and made-to-order in nearly any color, interior wood species or finish. Because they are hinged on the sides and open horizontally opposite the hinges with no meeting stile in the center, E-Series French casement windows provide unobstructed views.

- Virtually maintenance-free aluminum exterior to resist water and resist the
- Made to order in virtually any shape or size in nearly any color, interior wood species or finish
- Hinged on the sides with no center meeting stile, allowing for unobstructed views
- Standard sizes up to 5' wide and 5' high. Custom sizes available.

DESIGN THIS WINDOW


REQUEST A QUOTE



Page **3** of **7**

Kitchen Window Replacement (2039 Main Street)

Picture of Current Window to be Replaced



NOTES: The current window needs to be replaced. The existing opening is not expected to change.

Enlarged photo on the next page.

Order Quote from National Building Products

0004

CAX 1' 10 3/4" x 3' 2 1/2" (Left)

RO Size # 1' 11 1/4" W x 3' 3" H Unit Size # 1' 10 3/4" W x 3' 2 1/2" H

E-Series


Unit, Casement, White 2604, Pine wWhite - Painted Interior, Left, Dual Pane Low-E4 SmartSun HeatLock Standard (Annealed) Clear, Argon Fill, Full Divided Light (FOL), 2 Wide 3 High Colonial Pattern, White 2604 Exterior/Pine w/White - Painted Interior, Chamfer Exterior Griße Bar/Ovolo Interior Griße Bar, 7/8" Grille Bar, Ovolo (Colonial) Glass Stop, Black Glass / Grille Spacer, Standard Hinge, Handle w/Cover Hardware, Pewter, Standard Lock, Rigid Vinys w/Integral Vinyt Drip Cap, White Weatherstrip, White Full Insect Screen w/Fiberglass Mesh, 4 9/16" One Piece Step Jamb Pine w/White - Painted Complete Unit Extension Jambs


PEW LH HAROWARE KIT CSMT BOX W6204PKLG31

Zone: Northern

U-Frictor, 0.28, SHGC; 0.17, ENERGY STAR® Cellified; No

Window Details from Anderson Windows





Page **5** of **7**

Exterior Door Replacement (First Floor)


Picture of Current Exterior Door to be Replaced

Door on Patio to Kitchen



Note: Enlarged photos on the next page.

Door on Patio to Office




Picture of Hardware

Door Handle




Notes: Acorn Hardware Double Handle Mortise Lock Set Handle is 11" x 2-5/8" proj. 2-3/8"

Exterior Door Details



Notes: Huttig Building Products Heritage Doors 2/8x6/8 Left; Inswing; Smooth Star Enbossed S210eS81 Basic Slab 6 Panel Single Door Unit





Page **7** of **7**