MS4 General Permit Town of Glastonbury, Connecticut 2021 Annual Report

Existing MS4 Permittee

Permit Number GSM <u>000057</u>

January 1, 2021 – December 31, 2021

Primary MS4 Contact:

Daniel A. Pennington, P.E., Town Engineer/ Manager of Physical Services (860)652-7736 Email: daniel.pennington@glastonbury-ct.gov

This report documents the Town of Glastonbury, Connecticut's efforts to comply with the conditions of the MS4 General Permit to the maximum extent practicable (MEP) from January 1, 2021 to December 31, 2021.

Part I: Summary of Minimum Control Measure Activities

1. Public Education and Outreach (Section 6 (a)(1) / page 19)

1.1 BMP Summary

ВМР	Activities in current reporting period	Method of Distribution	Audience / Number of people reached	Measurable Goal	Department / Person Responsible	Additional details
1-1 Implement public education and outreach	1. Stormwater Pollution Prevention page located on the Town of Glastonbury's Engineering Division web site has been updated as required. 2. "Long Island Sound Study" brochures displayed at various departments at Town Hall and Welles Turner Memorial Library.	Website Brochure	Website users No brochures distributed this year	Compliance with Section 6(a)(1) of the current General Permit	Engineering Division	Library renovations and building closures due to COVID created little foot traffic and no hard copy brochure distributions this year.
1-2 Address education/ outreach for pollutants of concern*	Included bacteria related information on Town web site and other public ed. Materials. Glastonbury's Health Department has continuously provided information to residents related to septic systems/maintenance located on the web page under Subsurface Sewage/Septic System Basics for Homeowners.	Website	Website users	Compliance with Section 6(a)(1)(C)(iii) of the current General Permit	Engineering Division	

	3. Distributed pet waste brochures with Dog Licenses.	Brochure	110 dog owners	Compliance with Section 6(a)(1)(C)(iii) of the current General Permit	Town Clerk / Engineering Division	Brochures were distributed with new dog licenses.
Additional BMP: 1-3 Public Education and Outreach	1. Town Staff and Regional Group participated in the Salmon River Watershed Partnership	Website, email, mailings	Regional Population		Office of Community Development / Environmental Planner	The 2021 Salmon River Watershed Partnership Outreach & Monitoring Activities Related to Stormwater & Water Quality Report is attached in Appendix A.

1.2 Describe any Public Education and Outreach activities planned for the next year, if applicable.

- **1-1.** Provide additional updates to the Stormwater Pollution Prevention page located on the Town of Glastonbury's Engineering Division web site as necessary, provide tracking of the number of brochures distributed at town facilities for incorporation into annual reports.
- **1-2.** Continue distribution of printed pet waste management brochures in conjunction with dog license renewals.
- **1-3.** Continue staff membership and involvement in the Salmon River Watershed Partnership.
- **1-4.** Continue working with communications department to post timely news items in the spring related to stormwater pollution prevention awareness using the Town website and social media accounts.

1.3 Details of activities implemented to educate the community on stormwater

Program Element/Activity	Audience (and number of people reached)	Topic(s) covered	Pollutant of Concern addressed (if applicable)	Responsible dept. or partner org.
Stormwater Pollution Prevention page located on the Town of Glastonbury's Engineering Division web site	Residents/Business Owners/Developers	Stormwater pollution prevention awareness	Phosphorus, Nitrogen, and Bacteria	Engineering Division
"Long Island Sound Study" brochures available at various town departments at Town Hall and Welles Turner Memorial Library	None this year. Buildings closures due to COVID, foot traffic significantly reduced upon reopening in June.	Vehicle washing, pet waste, fertilizing, and leaking oil.	Phosphorus, Nitrogen, and Bacteria	Engineering Division
Pet waste brochure distributed with new Dog Licenses by Town Clerks Office	Approximately 110 brochures distributed in 2021.	Pet Waste	Bacteria	Engineering Division / Town Clerk
Continued staff membership and involvement in the Salmon Brook Watershed Partnership	Students, Watershed Community	Watershed protection, Clean-ups, Student groups/Membership collaborative studies	Watershed Protection	Town of Glastonbury Environmental Planner and the Salmon River Watershed Partnership

2. Public Involvement/Participation (Section 6(a)(2) / page 21)

2.1 BMP Summary

ВМР	Status (Complete, Ongoing, In Progress, or Not Started)	Activities in current reporting period	Measurable goal	Department / Person Responsible	Date completed or projected completion date	Location Posted	Additional details
2-1 Final Stormwater Management Plan publicly available	Ongoing	No activity.	Compliance with Section 4(d)(2) and Section 6(a)(2)(A) of the General Permit	Engineering Division	May 8, 2017	Website link to SWMP	Stormwater Management Plan was issued for review on May 8, 2017 and Finalized July 1, 2017
2-2 Comply with public notice requirements for Annual Reports (annually by 2/15)	In Progress	Postings on Town website completed.	Compliance with Section 4(d)(2) and Section 6(a)(2)(A) of the General Permit	Engineering Division	January 24, 2022 (Notice on Website) February 15, 2022 (draft report posted) April 1, 2022 (submitted to DEEP)	Website Link to news item	
Additional BMP: 2-3 Public Participation	Ongoing /Yearly	See additional details.	Allows residents to properly dispose of Household Hazardous Wastes	Sanitation/Refuse Division	April 3, 2021 May 1, 2021 June 5, 2021 August 28, 2021 September 25, 2021 October 30, 2021	http://sanitation1.townofmanchest er.org/index.cfm/household- hazardous-waste-collection/	Participated in the Capitol Region East Operating Committee (CREOC) Household Hazardous Waste Collection days.
Additional BMP: 2-4 Public Participation	Ongoing /Yearly	Town Staff participation	Preserve the integrity of the 96,000 Acre Salmon River Watershed	Office of Community Development and Environmental Department/ Environmental Planner	Yearly Membership and town staff representation	Salmon River Watershed Partnership Website link	The 2021 Salmon River Watershed Partnership Outreach & Monitoring Activities Related to Stormwater & Water Quality Report is attached in Appendix A

2.2 Describe any Public Involvement/Participation activities planned for the next year, if applicable.

- **2-3.** Annual participation in the Capitol Region East Operating Committee (CREOC) Household Hazardous Waste Collection days located adjacent to the Manchester Landfill on Olcott Street.
- **2-7.** Continued staff membership and participation in the Salmon River Watershed Partnership.

2.3 Public Involvement/Participation reporting metrics

Metrics	Implemented	Date	Posted
Availability of the Stormwater Management Plan to the public	Yes	May 8, 2017	Website link
Availability of this Annual Report announced to public Draft Annual Report published to Town Website Final Annual Report published to Town Website	Yes Yes Yes	January 24, 2022 February 15, 2022 April 1, 2022	
Town Staff and Regional Group participation in the Salmon River Watershed Partnership	Yes	Yearly membership and participation	http://www.salmo nriverct.org/

3. Illicit Discharge Detection and Elimination (Section 6(a)(3) and Appendix B / page 22)

3.1 BMP Summary

ВМР	Status (Complete, Ongoing, In Progress, or Not Started)	Activities in current reporting period	Measurable goal	Department / Person Responsible	Date completed or projected completion date	Additional details
3-1 Develop written IDDE program (Due 7/1/19)	Completed	No activity.	Written plan of IDDE program	Engineering Division	2/1/2019	IDDE Plan has been completed and is now available on the Town web site.
3-2 Develop list and maps of all MS4 stormwater outfalls in priority areas (Due 7/1/20)	Completed	No activity.	Mapped outfalls and drainage system	Engineering Division	7/1/2019	Click here for direct link to outfall mapping
3-3 Implement citizen reporting program (Ongoing)	Ongoing	No activity.	Implement and track citizen reporting of stormwater pollution	Engineering Division	Ongoing throughout the duration of the permit	Citizen reporting is available and can be found at: https://glastonburyct.qscend.com/311/request/add No pollution related complaints have been received via this system to date.
3-4 Establish legal authority to prohibit illicit discharges	Completed	No activity.	Establish legal authority to prohibit illicit discharges	Engineering Division	2010	Illicit Discharge and Connection Stormwater Ordinance is located in <u>Chapter 19</u> , <u>Article III</u> , <u>Sections 19-251 thru 19-275</u> .
3-5 Develop record keeping system for IDDE tracking	Completed	No activity.	Develop IDDE tracking tool	Engineering Division	7/1/2017	
3-6 Address IDDE in areas with pollutants of concern	Ongoing	See details.	Identify and correct IDDE in areas with pollutants of concern	Engineering Division	Ongoing	A suspected illicit discharge of a cross connected sewer lateral has been identified on Naubuc Avenue. Town staff are actively working to verify and eliminate the discharge.

3.2 Describe any IDDE activities planned for the next year, if applicable.

The written program has been posted to the Town of Glastonbury's Engineering Division web site.

Maintain master IDDE tracking spreadsheet and ensure all employees involved in IDDE program understand the logging process.

3.3 provide a record of all citizen reports of suspected illicit discharges occurring during the reporting period and SSO's occurring July 2017 through the end of reporting period using the following table. Illicit discharges are any unpermitted discharge to waters of the state that do not consist entirely of stormwater or uncontaminated groundwater except those discharges identified in Section 3(a)(2) of the MS4 general permit when such non-stormwater discharges are not significant contributors of pollution to a discharge from and identified MS4.

Location (Lat long/ street crossing /address and receiving water)	Date and duration of occurrence	Discharge to MS4 or surface water	Estimated volume discharged	Known or suspected cause / Responsible party	Corrective measures planned and completed (include dates)	Sampling data (if applicable)
2687 Main Street/Naubuc Avenue Katz Hardware	Originally a connection to a combined sewer system. Disconnected in 1/2015	Illicit Discharge into MS4 storm drainage system.	Unknown	Old combined sewer system connection which was identified by the Public Works Dept and disconnected in 2015	Single bathroom located at 2687 Main Street that was connected to an old combined sewer system located on Naubuc Avenue that remained connected to the storm sewer as part of a sewer separation incorporated in a reconstruction project of Naubuc Avenue in the 1970's. Illicit discharge was identified by the Town of Glastonbury Public Works and disconnected by the property owner in 2015.	None
104 Benton Lane	03/03/2013 12:30 P.M. to 2:15 P.M.	SSO- surcharged manhole	200-300 Gallons	Blockage from rags in pump station wet well. Cleaned ASAP to relieve surcharge	By Pass system which had been installed during pump station upgrade construction activity removed on 3/4/2013. Cleaned ASAP to relieve Surcharge. Hand spread Limed area around manhole.	None
116 Oak Street	08/23/2013 2:00 P.M. to 5:00 P.M.	SSO to Hubbard Brook	150-250 Gallons	Concrete at the end of lateral connection	Sewer line will require reconstruction. Sewer lateral will need to be reconstructed.	None
Tall Timbers Road	09/14/2014 No start time to 10:30 A.M.	SSO-Private force main leaking below grade	21,500 Gallons (Est.)	Broken 1 ¼" private force main lateral	Broken pipe repaired by town highway staff. Pipe repaired and suggested pressure testing of the line by homeowner (Private system).	None
1909 Main Street	08/09/2014 7:00 A.M. to 9:00 A.M.	SSO- surcharged manhole	500 Gallons	Grease blockage in 8" sewer line	Blockage in sewer line relieved by jet truck, upon release completed jetting. Applied bleach to area around manhole and ground. Added location to Towns routine jetting schedule.	None

2333 Main Street	02/25/2015 11:40 A.M. to 4:30 P.M.	SSO- surcharged manhole in parking lot- Private	Unable to determine	Grease and Root blockage	Property owner arranged with contractor to clear blockage by flushing and root cutting. Routine flushing and root cutting.	None
2756 Main Street	09/04/2016 12:45 P.M. to 1:40 P.M.	SSO- surcharged manhole- Salmon Brook	5,000 Gallons	Electrical failure at Pump Station	Restored Pump Station Operation quickly.	None
3025 Main Street	08/07/2017 1:00 P.M. to 5:00 P.M.	SSO- surcharged manhole-Pump Station	Unknown	Mechanical equipment failure	Burger King regional manager notified to evaluate and repair the reoccurring problem. Repairs made to eliminate future overflows.	None
28 Talcott Road	05/04/2017 6:38 P.M. to 7:15 P.M.	SSO- surcharged manhole/sewer main overflowed into catch basin	Unknown	Grease blockage in sewer main	Jetted and flushed sewer main. Frequent inspection of town sewer main.	None
76-78 Hollister Way South Meadow Hill Condominiums	12/18/2018 3:00 PM to 6:00 PM	SSO- sewer backup and overflow discharge in basement of private property	250 Gallons	Blockage in Towns sewer line on Main Street due to pipe joint separation and soil infiltration	Sewer pipe joint was repaired and sewer line was flushed and televised by Highway Dept. staff to relieve blockage.	None
120 Hebron Avenue Eric Town Square	7/30/2019 9:44 PM	Restaurant grease disposal into an on-site catch basin	25 Gallons	Employees dumping grease into a catch basin	Patron notified CTDEEP of incident. CTDEEP Case No. 2019-03568. CTDEEP personnel required property owner to hire a company to clean all effected on-site storm drainage pipes and structures. Notice of violation letter sent to property owner from the WPCA requiring tenants to educate their employees on proper grease disposal.	None
2327-2233 Main Street	Ongoing, unknown duration.	Illicit Discharge into MS4 storm drainage system on Naubuc Avenue.	Unknown	Cross connected sewer lateral into former combined system.	Disconnection will be performed as soon as a contractor can be retained for this work, likely start date April 2022.	None

Note: Data listed above is derived from copies of a Sewage By-Pass Notification Report as submitted to State of Connecticut DEEP Bureau of Water Management.

3.4 Provide a summary of actions taken to address septic failures using the table below.

Method used to track illicit discharge reports	Location and nature of structure with failing septic systems	Actions taken to respond to and address the failures	Impacted waterbody or watershed, if known	Dept./ Person Responsible
Health Department Septic	Angus Pond	Within the Angus Pond drainage	Angus Pond	Health Department:
System Repair Records	Residential Septic Systems	basin Health Department	DEEP Basin ID: 4009-00-2-L4	Director of Health
Engineering Division Records	within the drainage basin	records indicate that 1 septic repair or replacement was done		Wendy Mis, MPH, RS
		in 2021.		Engineering Division:
CT DEEP Sewer By-Pass				Assistant Town Engineer
Notification Report				Stephen M. Braun, P.E.
Health Department Septic	Connecticut River	Within the Connecticut River	Connecticut River	Health Department:
System Repair Records	Residential Septic Systems	drainage basin Health	DEEP Basin ID: 4009-00-6-R16	Director of Health
	within the drainage basin	Department records indicate		Wendy Mis, MPH, RS
Engineering Division Records		that 0 septic system repairs or		
		replacements were done in		Engineering Division:
CT DEEP Sewer By-Pass		2021.		Assistant Town Engineer
Notification Report				Stephen M. Braun, P.E.

3.5 Briefly describe the method and effectiveness of said method used to track illicit discharge reports.

The Engineering Division has a spreadsheet to track illicit discharges that are reported to us and to the CT DEEP via the Sewage Bypass Notification Report process. This data is then included with the MS4 Annual Report. There are not many illicit discharges reported so the spreadsheet is functional for tracking purposes.

3.6 IDDE reporting metrics

Metrics	
Estimated or actual number of MS4 outfalls	Approximately 976± total outfalls
Estimated or actual number of interconnections	28 interconnections have been identified with ConnDOT drainage systems.
Outfall mapping complete	100% -Catch Basins/Manholes/ Pipes/Outfalls Mapping can be found on the Town GIS System using the following link: Outfall Mapping
Interconnection mapping complete	100%
System-wide mapping complete (detailed MS4 infrastructure)	100%
Outfall assessment and priority ranking for IDDE Plan	100% - See APPENDIX C
Dry weather screening of all High and Low priority outfalls complete	21 Outfalls were screened in 2021 for bacteria indicator using an ammonia test kit.
Catchment investigations complete	0
Estimated percentage of MS4 catchment area investigated	0

3.7 Briefly describe the IDDE training for employees involved in carrying out IDDE tasks including what type of training is provided and how often is it given (minimum once per year).

A review of dry weather screening procedures was conducted with Engineering Inspection Staff at a kick-off meeting held on December 6, 2021 in preparation for dry weather screening of town-wide outfalls.

4. Construction Site Runoff Control (Section 6(a)(4) / page 25)

4.1 BMP Summary

ВМР	Status (Complete, Ongoing, In Progress, or Not Started)	Activities in current reporting period	Measurable Goal	Department / Person Responsible	Date completed or projected completion date (Include the start date for anything that is "In Progress")	Additional details
4-1 Implement, upgrade, and enforce land use regulations or other legal authority to meet requirements of MS4 general permit (Due 7/1/22)	Completed/Ongoing	All proposed development projects were reviewed for compliance with land use regulations.	Implement, upgrade, and enforce land use regulations or other legal authority to meet requirements of MS4 general permit.	Office of Community Development and Environmental Department Engineering Division Building Inspection/Zoning Enforcement	Continued implementation	Existing Land Use regulations related to the control of erosion and sediment from construction sites can be found in Section 19 of the Town Building - Zone Regulations and Section 15 of the Town Subdivision and Resubdivision Regulations.
4-2 Develop/Implement plan for interdepartmental coordination in site plan review and approval (Ongoing)	Completed/Ongoing	All proposed development plans were reviewed by various departments for conformance to the above referenced regulations.	Develop/Implement plan for interdepartmental coordination in site plan review and approval.	Engineering Division Office of Community Development and Environmental Department Building Inspection/Zoning Enforcement	Continued implementation	See Stormwater Management Plan for additional details.
4-3 Review site plans for stormwater quality concerns (Ongoing)	Completed/Ongoing	All proposed development plans were reviewed for conformance with stormwater quality best management practices.	Review site plans for stormwater quality concerns.	Engineering Division Office of Community Development and Environmental Department	Continued implementation	See Stormwater Management Plan for additional details.
4-4 Conduct site inspections (Ongoing)	Completed/Ongoing	E&S inspections and enforcement was conducted by Office of Office of Community Development staff.	Conduct site inspections	Engineering Division Office of Community Development and Environmental Department	Continued implementation	

4-5 Implement procedure to allow public comment on site development (Ongoing)	Completed/Ongoing	Public input is a regular part of all development application approvals.	Implement procedure to allow public comment on site development	Office of Community Development and Environmental Department	Continued implementation	See Stormwater Management Plan for additional details.
4-6 Implement procedure to notify developers about DEEP construction stormwater permit (Ongoing)	Completed/Ongoing	Notifications to developers were completed as part of conditions of approval for local regulatory permits.	Developers are all notified about DEEP construction stormwater permit	Engineering Division Office of Community Development and Environmental Department	Continued implementation	
Additional BMP: 4-7 Engineering Division plan review stormwater compliance checklist (Ongoing)	Completed/Ongoing	Reviewed developments for compliance with our checklist.	Standardize plan review related to stormwater compliance	Engineering Division	Continued implementation	Standardized internal plan review checklist for all proposed developments which includes stormwater management compliance parameters.

4.2 Describe any Construction Site Runoff Control activities planned for the next year, if applicable.

- 4.1. Continued enforcement of land use regulations to meet requirements of MS4 general permit.
- **4.2.** Continued interdepartmental coordination for the review and approval of all proposed development plans.
- **4.3.** Continued review of all proposed development plans related to stormwater quality concerns.
- 4.4. Continued site inspections.
- **4.5.** Continued implementation of the current procedure to allow public comment on site development.
- 4.6. Continued implementation of the current procedure to notify developers about DEEP construction stormwater permit.
- **4.7.** Continued use of the internal plan review stormwater compliance checklist.

5. Post-construction Stormwater Management (Section 6(a)(5) / page 27)

5.1 BMP Summary

ВМР	Status (Complete, Ongoing, In Progress, or Not Started)	Activities in current reporting period	Measurable goal	Department / Person Responsible	Date completed or projected completion date (Include the start date for anything that is "In Progress")	Additional details
5-1 Establish and/or update legal authority and guidelines regarding LID and runoff reduction in site development planning (Due 7/1/22)	In progress	No activity.	Establish and/or update legal authority and guidelines regarding LID and runoff reduction in site development planning	Office of Community Development Engineering Division	In Progress.	The Town will review the need for additional legal authority / regulations that may be required to meet the intent of this permit. See Stormwater Management Plan Section 5.1 for additional information.
5-2 Enforce LID/runoff reduction requirements for development and redevelopment projects (Due 7/1/22)	Ongoing/In progress	LID and runoff reduction requirements have been implemented on all approved development projects over the past year.	Enforce LID/runoff reduction requirements for development and redevelopment projects.	Office of Community Development Engineering Division	Ongoing.	Current Town policy requires consideration of LID and runoff reduction measures as well as treatment of the appropriate portion of the Water Quality Volume for all development and redevelopment projects.
5-3 Identify retention and detention ponds in priority areas	Completed	No activity.	Identify retention and detention ponds in priority areas.	Engineering Division	Completed 7/1/2019	121 detention ponds have been mapped and are accessible via the GIS.
5-4 Implement long-term maintenance plan for stormwater basins and treatment structures	In progress	Inspection and maintenance operations were performed on 12 detention ponds in 2021.	Implement long-term maintenance plan for stormwater basins and treatment structures.	Physical Services/Highway Division Parks Department Engineering Division	Underway, maintenance work is ongoing and is a long-term project.	GIS Pond ID # - Completed 2021: MO25-2270 - 1/11/2021 MO25-2622 - 1/18/2021 MO25-3553 - 1/20/2021 OL10-200 - 1/22/2021 HA15-1425 - 2/1/2021 CO80-2020 - 1/25/2021 OL40-1300 - 1/18/2021 OL40-1480 - 1/18/2021

						OL70-385 – 3/4/2021 SU30-1600 – 2/26/2021 RE20-90 – 3/5/2021 TO10-4353 – 3/12/2021
5-5 DCIA mapping	Completed	No activity.	DCIA mapping / calculation	Engineering Division	7/1/2020	The baseline DCIA for the entire Town was computed to be 1,094 acres out of a total of 2,622 acres of IC (exclusive of DOT Roads). These numbers were derived from DEEP sub-regional drainage basin data with IC values reports from 2012. See Appendix B for details.
5-6 Address post- construction issues in areas with pollutants of concern	In progress	No activity.	Address post- construction issues in areas with pollutants of concern.	Engineering Division	Continuously ongoing throughout the duration of the permit.	The Town of Glastonbury will prioritize problem areas for correction under minimum control measure 6 – Pollution Prevention/Good Housekeeping.

5.2 Describe any Post-Construction Stormwater Management activities planned for the next year, if applicable.

- 5-1. Engineering will develop draft updates to the current Town regulations and policies to meet or exceed those LID and runoff reduction practices required under this permit and in accordance with the CT Stormwater Quality Manual, Glastonbury's land use regulations, guidance or construction project requirements.
- 5-2. Continued enforcement of LID/runoff reduction/water quality treatment on all approved development and redevelopment project.
- 5-3. Continue field inspections and maintenance of all municipality owned retention and detention ponds within the priority areas and throughout the entire town.
- **5-4.** Continue Implementation of a long term maintenance plan for all municipally owned stormwater basins and treatment structures.
- **5-6.** Continued inspections to address construction issues in areas with pollutants of concern.

5.3 Post-Construction Stormwater Management reporting metrics

Metrics	
Baseline (2012) Directly Connected Impervious Area (DCIA)	1,067.40 Acres
DCIA disconnected (redevelopment plus retrofits)	DCIA disconnected (approved projects) Total to Date = 29.9 acres 2021 - 3.71 acres
	2020 -0.96 acres 2019 - 3.64 acres 2018 - 0.94 acres
	2017 – 9.41 acres 2016 – 0.00 acres 2015 to 2011 – 11.24 acres
Retrofits completed	101 acre drainage area (4.04 acres DCIA) disconnected under Dug Road / Tryon Street Drainage Project, WQC-201206157.
DCIA disconnected	2.8% total since 2012
Estimated cost of retrofits	(unknown at this time)
Detention or retention ponds identified	121 ponds

5.4 Briefly describe the method to be used to determine baseline DCIA.

DCIA for each local drainage basin area within the Town was computed using GIS based IC data provided by CTDEEP through the UCONN CLEAR / NEMO website. Each basin was characterized for the type of land-use contained therein and DCIA was computed using the Sutherland Equations and the basin IC (exclusive of the DOT Roads). See Appendix B for the Town of Glastonbury baseline DCIA calculation spreadsheet.

6. Pollution Prevention/Good Housekeeping (Section 6(a)(6) / page 31)

6.1 BMP Summary

ВМР	Status (Complete, Ongoing, In Progress, or Not Started)	Activities in current reporting period	Measurable goal	Department / Person Responsible	Date completed or projected completion date (Include the start date for anything that is "In Progress")	Additional details
6-1 Develop/implement formal employee training program (Ongoing)	Completed/Ongoing	No group training held this year by Highway or Parks Departments due to COVID19.	Develop/implement formal employee training program	Physical Services/Highway Division Parks Department	Continuously ongoing throughout the duration of the permit.	Training materials consist of generalized stormwater pollution prevention video, review of facility specific Stormwater Pollution Prevention Plans, and other department specific training related to specific maintenance activities (salt application, fertilizer application, etc).
6-2 Implement MS4 property and operations maintenance (Ongoing)	In progress	Parks Dept. continued to implement guidelines to reduce fertilizer applications at Town Facilities.	Implement MS4 property and operations maintenance	Physical Services/Highway Division Parks Dept. Sanitation Dept. Facilities Dept.	Ongoing/In Progress	See Stormwater Management Plan for additional details.
6-3 Implement coordination with interconnected MS4s (Ongoing)	In progress	No activity in the current reporting period.	Implement coordination with interconnected MS4s	Engineering Division	In progress	The Town of Glastonbury will coordinate with operators of interconnected MS4s
6-4 Develop/implement program to control other sources of pollutants to the MS4 (Ongoing)	On going	Nitrogen loading computations received for applications in the groundwater protection zones.	Develop/implement program to control other sources of pollutants to the MS4	Engineering Division	On going	Program to control nitrogen in GW protection Zones is in place. No other problematic pollutants identified for specific control at this time.

6-5 Evaluate additional measures for discharges to impaired waters* (Ongoing)	In progress	No activity in the current reporting period.	Evaluate additional measures for discharges to impaired waters*	Engineering Division	In progress	Signage is in place at the dog park and other public parks regarding the need to pick up pet waste. Bags are also provided for use by pet owners. Additional measures will be considered.
6-6 Track projects that disconnect DCIA (Ongoing)	In progress/Ongoing	Tracking spreadsheet updated with developments approved in 2021.	Track projects that disconnect DCIA	Engineering Division	In progress	Based on current tracking statistics approximately 30 acres of DCIA will be disconnected as part of an approved project through December 2021.
6-7 Implement infrastructure repair/rehab program (Ongoing)	In progress	No activity in the current reporting period.	Implement infrastructure repair/rehab program	Engineering Division Physical Services/Highway Division	In progress to meet due date of July 1, 2021.	The Town of Glastonbury will continue a program to identify MS4 structures to repair, rehabilitate, or upgrade to reduce or eliminate the discharge of pollutants into water bodies.
6-8 Develop/implement plan to identify/prioritize retrofit projects	On hold.	No activity in the current reporting period.	Develop/implement plan to identify/prioritize retrofit projects	Engineering Division Physical Services/Highway Division	On hold.	2% DCIA reduction has already been achieved within the permit period mostly through redevelopment projects. The Town will monitor this moving forward and assess the need for a retrofit
6-9 Implement retrofit projects to disconnect 2% of DCIA	On hold.	No activity in the current reporting period.	Implement retrofit projects to disconnect 2% of DCIA	Engineering Division Physical Services/Highway Division	On hold.	program. 2% goal has already been met. Implementation of retrofit projects is not necessary at this time.
6-10 Develop/implement street sweeping program (Ongoing)	Ongoing	1,565 curb miles were swept in 2021 and approximately 817 CY of material was collected and disposed of.	Develop/implement street sweeping program	Physical Services/Highway Division		

6-11 Develop/implement catch basin cleaning program (Ongoing)	Ongoing	All catch basins were inspected annually for blocked grates and structural problems.	Develop/implement catch basin cleaning program	Physical Services/Highway Division	Ongoing throughout the duration of the permit	Approximately 174 were cleaned as part of the annual paving program and based on locations where routine sediment buildup has been noted. See 6.4 for more information.
6-12 Develop/implement snow management practices (Ongoing)	Ongoing	Approximately 8,514 lane miles were treated with the use of computer controlled spreaders with ground speed control to meter amount of material applied and automatically stops application when truck stops moving.	Develop/implement snow management practices	Physical Services/Highway Division	Ongoing throughout the duration of the permit	Snow and ice management training implemented for every storm event, management directs employee's when to apply salt for pre-treating and during a winter event. Spreaders are set to apply 350-500 lbs./lane mile. Flat routes set at 350 lbs /lane mile while higher hilly terrain set at 500lbs/lane mile.

6.2 Describe any Pollution Prevention/Good Housekeeping activities planned for the next year, if applicable.

- **6-1.** Resume training program in 2022.
- **6-2.** Continued implementation of MS4 property and operations maintenance.
- **6-3.** Begin coordination with interconnected MS4s including ConnDOT.
- **6-4.** Determine the need for control of other sources of pollutants.
- **6-6.** Continued tracking of projects that disconnect DCIA.

6.3 Pollution Prevention/ Good Housekeeping reporting metrics

Metrics	
Employee training provided for key staff	Highway Dept. staff – No training due to COVID19. Parks Dept. staff – No training due to COVID19.
Street sweeping	
Curb miles swept	1,565 miles
Volume (or mass) of material collected	817 C.Y.
Catch basin cleaning	
Total catch basins in priority areas	6,373 ±
Total catch basins in MS4	6,772 ±
Catch basins inspected	6,772±
Catch basins cleaned	174 (2.5% of MS4 CBs)
Volume (or mass) of material removed from all catch basins	133 C.Y.
Volume removed from catch basins to impaired waters (if known)	Unknown
Snow management	
Type(s) of deicing material used	Treated Salt Blend
Total amount of each deicing material applied	3,645 Tons Highway Dept. Approx. 200 Tons Parks Dept. (includes 4 tons bagged ice-melt for sidewalks).
Type(s) of deicing equipment used	Computerized Spreaders with ground speed control (Highway Dept. Only)
Lane-miles treated	22,708 lane miles
Snow disposal location (when required)	Riverfront Park-200 Welles Street
Staff training provided on application methods & equipment	Yes-Implemented for every storm event (Parks and Highway Dept.)
Municipal turf management program actions (for permittee properties in basins with N/P impairments)	
Reduction in application of fertilizers (since start of permit)	N/A
Reduction in turf area (since start of permit)	N/A
Lands with high potential to contribute bacteria (dog parks, parks with open water, & sites with failing septic systems)	Glastonbury Riverfront Dog Park-Welles Street
Cost of mitigation actions/retrofits	N/A

6.4 Catch basin cleaning program

Provide any updated or modifications to your catch basin cleaning program.

Catch basins are routinely inspected when debris is removed from top grates before all significant rain events. Thorough full depth inspections/vacuum cleaning conducted on all basins located in annual paving program areas, all repairs/rebuilds noted and completed before paving begins. Basins identified as needing regular maintenance/cleaning are placed on a routine annual or semi-annual cleaning.

The Town of Glastonbury is in the process of refining its existing annual catch basin cleaning program to implement better ways of tracking the number of catch basins cleaned and quantities of material removed through the use of GIS software and field tablets.

6.5 Retrofit program

Briefly describe the Retrofit Program identification and prioritization process, the projects selected for implementation, the rationale for the selection of those projects and the total DCIA to be disconnected upon completion of each project.

At this time we believe that 2% DCIA disconnection goals will be met without the need of a separate Retrofit program due to the pace of redevelopment projects currently underway in Town. The Town will continue to monitor this and will develop a retrofit program if MS4 Permit goals are not being met through redevelopment.

Part II: Impaired waters investigation and monitoring

1. Impaired waters investigation and monitoring program

1.1 Indicate which stormwater pollutant(s) of concern occur(s) in your municipality or institution. This data is available on the MS4 map viewer: http://s.uconn.edu/ctms4map .					
Nitrogen/ Phosphorus	Bacteria 🔀	Mercury 🗌	Other Pollutant of Concern		
1.2 Describe program status.					
Discuss 1) the status of monitoring work completed, 2) a summary of the results and any notable findings, and 3) any changes to the Stormwater Management Plan based on monitoring results.					
bacteria. 25 outfalls were identified to using an ammonia test kit in February and therefore require follow up testing referenced outfalls to impaired water	that drain directly y and March of 20 ng. No additional t rbodies were lab t	to these water be 18. Five (5) of the testing was perfor ested by state ce	ne CT River, which are both impaired due to odies which were all screened for bacteria ese outfalls exceeded 0.5 mg/l of Ammonia rmed in 2019. In 2020, 23 of the above rtified Phoenix Environmental Laboratories, . Screening data is listed below in Section		

2. Screening data for outfalls to impaired waterbodies (Section 6(i)(1) / page 41)

2.1 Screening data

Complete the table below for any outfalls screened during the reporting period. Each Annual Report will add on to the previous year's screening data showing a cumulative list of outfall screening data.

Outfall ID	Sample date	Parameter (Nitrogen, Phosphorus, Bacteria, or Other pollutant of concern)	Results	Name of Laboratory (if used)	Follow-up required?
NA25-3213	4/13/2020 9:04am	Bacteria	10 MPN/100 mls	Phoenix Environmental Laboratories, Inc.	No
NA25-200	4/13/2020 9:22am	Bacteria	41 MPN/100 mls	Phoenix Environmental Laboratories, Inc.	No
NA25-2919	4/13/2020 9:37am	Bacteria	31 MPN/ 100 mls	Phoenix Environmental Laboratories, Inc.	No
NA25-3425	4/13/2020 9:47am	Bacteria	4,350 MPN/ 100 mls	Phoenix Environmental Laboratories, Inc.	Yes
TR30-10480	4/13/2020 10:46am	Bacteria	862 MPN/ 100 mls	Phoenix Environmental Laboratories, Inc.	Yes

TR30-11044	4/13/2020 11:04am	Bacteria	10 MPN/ 100 mls	Phoenix Environmental Laboratories, Inc.	No
MA15-8819	4/13/2020 12:16pm	Bacteria	882 MPN/ 100 mls	Phoenix Environmental Laboratories, Inc.	Yes
MA20-1382	4/13/2020 12:44pm	Bacteria	41 MPN/ 100 mls	Phoenix Environmental Laboratories, Inc.	No
SH50-1512	4/13/2020 13:30pm	Bacteria	52 MPN/ 100 mls	Phoenix Environmental Laboratories, Inc.	No
RT83-19028	4/13/2020 13:12pm	Bacteria	107 MPN/ 100 mls	Phoenix Environmental Laboratories, Inc.	No
WE20-3484	4/24/2020 11:18am	Bacteria	31 MPN/ 100 mls	Phoenix Environmental Laboratories, Inc.	No
RFBH-010	4/24/2020 11:38am	Bacteria	10 MPN/ 100 mls	Phoenix Environmental Laboratories, Inc.	No
ST35-1046	4/24/2020 12:04pm	Bacteria	145 MPN/ 100 mls	Phoenix Environmental Laboratories, Inc.	No
TR30-5308	4/24/2020 12:30pm	Bacteria	912 MPN/ 100 mls	Phoenix Environmental Laboratories, Inc.	Yes
TR30-4044	4/24/2020 12:49am	Bacteria	97 MPN/ 100 mls	Phoenix Environmental Laboratories, Inc.	No
Tryon Street 1	6/11/2020 17:00pm	Bacteria	>48,400 MPN/ 100 mls	Phoenix Environmental Laboratories, Inc.	Yes
Tryon Street 2	4/24/2020 13:09pm	Bacteria	10 MPN/ 100 mls	Phoenix Environmental Laboratories, Inc.	No
WE40-791	4/24/2020 13:31pm	Bacteria	74 MPN/ 100 mls	Phoenix Environmental Laboratories, Inc.	No
MA15-8193	4/24/2020 13:50pm	Bacteria	1,520 MPN/ 100 mls	Phoenix Environmental Laboratories, Inc.	Yes
NA25-4437	4/24/2020 14:37pm	Bacteria	41 MPN/ 100 mls	Phoenix Environmental Laboratories, Inc.	No
NA25-4481	4/24/2020 15:12pm	Bacteria	727 MPN/ 100 mls	Phoenix Environmental Laboratories, Inc.	Yes
RFBH-044	6/11/2020 16:37pm	Bacteria	>48,400 MPN/ 100 mils	Phoenix Environmental Laboratories, Inc.	Yes
RFPK-018	6/11/2020 16:27pm	Bacteria	9,770 MPN/ 100 mils	Phoenix Environmental Laboratories, Inc.	Yes

^{*}Follow-up investigation required (last column) if the following pollutant thresholds are exceeded:

Pollutant of concern	Pollutant threshold		
Nitrogen	Total N > 2.5 mg/l		
Phosphorus	Total P > 0.3 mg/l		
Bacteria (fresh waterbody)	 E. coli > 235 col/100ml for swimming areas or 410 col/100ml for all others Total Coliform > 500 col/100ml 		
Bacteria (salt waterbody)	 Fecal Coliform > 31 col/100ml for Class SA and > 260 col/100ml for Class SB Enterococci > 104 col/100ml for swimming areas or 500 col/100 for all others 		
Other pollutants of concern	Sample turbidity is 5 NTU > in-stream sample		

3. Follow-up investigations (Section 6(i)(1)(D) / page 43)

Provide the following information for outfalls exceeding the pollutant threshold.

The systems listed below that tested above the allowable levels of bacteria will be cleaned by the Highway department in 2022 and then retested by a lab. If they continue to be elevated for bacteria catchment investigations will be carried out by the Town.

Outfall	Status of drainage area investigation	Control measure implementation to address impairment
NA25-3425	NONE COMPLETED TO DATE.	
TR30-10480	NONE COMPLETED TO DATE.	
MA15-8819	NONE COMPLETED TO DATE.	
TR30-5308	NONE COMPLETED TO DATE.	
Tryon Street 1	NONE COMPLETED TO DATE.	
MA15-8193	NONE COMPLETED TO DATE.	
NA25-4481	NONE COMPLETED TO DATE.	
RFBH-044	NONE COMPLETED TO DATE.	
RFPK-018	NONE COMPLETED TO DATE.	

4. Prioritized outfall monitoring (Section 6(i)(1)(D) / page 43)

Once outfall screening has been completed for at least 50% of outfalls to impaired waters, identify 6 of the highest contributors of any pollutants of concern. Begin monitoring these outfalls on an annual basis by July 1, 2020.

2021 Testing was not performed at these outfalls. Sampling will be performed in 2022.

Outfall	Sample Date	Parameter(s)	Results	Name of Laboratory (if used)
Tryon Street 1	6/11/2020	Bacteria	> 48,400 MPN/ 100 mls	Phoenix Environmental Laboratories, Inc.
RFBH-044	6/11/2020	Bacteria	> 48,400 MPN/ 100 mls	Phoenix Environmental Laboratories, Inc.
RFPK-018	6/11/2020	Bacteria	9,770 MPN/ 100 mls	Phoenix Environmental Laboratories, Inc.
NA25-3425	4/13/2020	Bacteria	4,350 MPN/ 100 mls	Phoenix Environmental Laboratories, Inc.
TR30-5308	4/24/2020	Bacteria	912 MPN/ 100 mls	Phoenix Environmental Laboratories, Inc.
MA15-8819	4/13/2020	Bacteria	882 MPN/ 100 mls	Phoenix Environmental Laboratories, Inc.

Part III: Additional IDDE Program Data

1. Assessment and Priority Ranking of Catchments data (Appendix B (A)(7)(c) / page 5)

Provide a list of all catchments with ranking results (DEEP basins may be used instead of manual catchment delineations).

1. Catchment ID (DEEP Basin ID)	2. Category	3. Rank
SEE ATTACHED TABLE	FROM IDDE PLAN IN	APPENDIX C

2. Outfall and Interconnection Screening and Sampling data (Appendix B (A)(7)(d) / page 7)

2.1 Dry weather screening and sampling data from outfalls and interconnections

Provide sample data for outfalls where flow is observed. Only include Pollutant of concern data for outfalls that discharge into stormwater impaired waterbodies.

Outfall / Interconnection ID	Screening / sample date	Ammonia	Chlorine	Conductivity	Salinity	E. coli or enterococcus	Surfactants	Water Temp	Pollutant of concern	If required, follow-up actions taken
PU153003	2/25/2021	1 PPM								Yes ≥ 0.5 mg/l
WTLB-08	12/8/2021	0.25 PPM								No
NE25-131	12/8/2021	0.50 PPM								Yes ≥ 0.5 mg/l
WI24-448	12/8/2021	0.50 PPM								Yes ≥ 0.5 mg/l
MO05-453	12/17/2021	0.25 PPM								No

SO10-1018	12/17/2021	0 PPM	No
PA20-434	12/17/2021	0.50 PPM	Yes ≥ 0.5 mg/l
GR55-352	12/17/2021	0.20 PPM	No
WR10-785	12/17/2021	O PPM	No
DU10-651	12/15/2021	0.50 PPM	Yes ≥ 0.5 mg/l
DU10-871	12/14/2021	0.50 PPM	Yes ≥ 0.5 mg/l
DU10-435	12/14/2021	0.50 PPM	Yes ≥ 0.5 mg/l
DU10-339	12/14/2021	0.50 PPM	Yes ≥ 0.5 mg/I
DI10-337	12/14/2021	0.25 PPM	No
CO35-751	12/14/2021	0.25 PPM	No
KN40-736	12/21/2021	O PPM	No
MO15-1717	12/21/2021	O PPM	No
WO10-1522	12/21/2021	0 PPM	No
MA15-13003	12/21/2021	0 PPM	No
DI15-143	12/21/2021	0 PPM	No
WH10-798	12/21/2021	O PPM	No

2.2 Wet weather sample and inspection data

Provide sample data for outfalls and key junction manholes of any catchment area with at least one System Vulnerability Factor.

Outfall / Interconnection ID	Sample date	Ammonia	Chlorine	Conductivity	Salinity	E. coli or Enterococcus	Surfactants	Water Temp	Pollutant of concern
NONE TO DATE									

3. Catchment Investigation data (Appendix B (A)(7)(e) / page 9)

3.1 System Vulnerability Factor Summary

For those catchments being investigated for illicit discharges (i.e. categorized as high priority, low priority, or problem) document the presence or absence of System Vulnerability Factors (SVF). If present, report which SVF's were identified. An example is provided below.

Outfall ID	Receiving Water	System Vulnerability Factors
	SEE ATTACHED TABLE IN	APPENDIX C

Where SVFs are:

- 1. History of SSOs, including, but not limited to, those resulting from wet weather, high water table, or fat/oil/grease blockages.
- 2. Sewer pump/lift stations, siphons, or known sanitary sewer restrictions where power/equipment failures or blockages could readily result in SSOs.
- 3. Inadequate sanitary sewer level of service (LOS) resulting in regular surcharging, customer back-ups, or frequent customer complaints.
- 4. Common or twin-invert manholes serving storm and sanitary sewer alignments.
- 5. Common trench construction serving both storm and sanitary sewer alignments.
- 6. Crossings of storm and sanitary sewer alignments.
- Sanitary sewer alignments known or suspected to have been constructed with an underdrain system;
- 8. Sanitary sewer infrastructure defects such as leaking service laterals, cracked, broken, or offset sanitary infrastructure, directly piped connections between storm drain and sanitary sewer infrastructure, or other vulnerability factors identified through Inflow/Infiltration Analyses, Sanitary Sewer Evaluation Surveys, or other infrastructure investigations.
- 9. Areas formerly served by combined sewer systems.
- 10. Any sanitary sewer and storm drain infrastructure greater than 40 years old in medium and densely developed areas.
- 11. Widespread code-required septic system upgrades required at property transfers (indicative of inadequate soils, water table separation, or other physical constraints of the area rather that poor owner maintenance).
- 12. History of multiple local health department or sanitarian actions addressing widespread septic system failures (indicative of inadequate soils, water table separation, or other physical constraints of the area rather that poor owner maintenance).

3.2 Key junction manhole dry weather screening and sampling data

Key Junction Manhole ID	Screening / Sample date	Visual/ olfactory evidence of illicit discharge	Ammonia	Chlorine	Surfactants
NONE TO DATE					

3.3 Wet weather investigation outfall sampling data

Outfall ID	Sample date	Ammonia	Chlorine	Surfactants
NONE TO DATE				

3.4 Data for each illicit discharge source confirmed through the catchment investigation procedure

Discharge location	Source location	Discharge description	Method of discovery	Date of discovery	Date of elimination	Mitigation or enforcement action	Estimated volume of flow removed
NONE TO DATE							

Part IV: Certification

"I have personally examined and am familiar with the information submitted in this document and all attachments thereto, and I certify that, based on reasonable investigation, including my inquiry of those individuals responsible for obtaining the information, the submitted information is true, accurate and complete to the best of my knowledge and belief. I understand that a false statement made in this document or its attachments may be punishable as a criminal offense, in accordance with Section 22a-6 of the Connecticut General Statutes, pursuant to Section 53a-157b of the Connecticut General Statutes, and in accordance with any other applicable statute."

Chief Elected Official or Principal Executive Officer	Document Prepared by
Print name: Richard J. Johnson, Town Manager	Print name: Daniel A. Pennington, P.E., Town Engineer
Signature / Date:	Signature / Date:

APPENDIX A

2021 Salmon River Watershed Partnership Outreach & Monitoring Activities Related to Stormwater & Water Quality Annual Report



2021- Salmon River Watershed Partnership Outreach & Monitoring Activities Related to Stormwater & Water Quality

(Bolton, Colchester, Columbia, East Haddam, East Hampton, Glastonbury, Haddam, Hebron, Lebanon & Marlborough)

During the 2021, SRWP was able to resume a number of its outreach and education activities by putting into place recommendations to address any Covid concerns.

Activities presented in this format:

boards.

Date/*Event*/Description/Audience and estimated number of individuals reached and/or participated

March 2021: Annual Newsletter/Annual newsletter covers a variety of SRWP activities and news items related to protecting watershed resources and preserving water quality. The 2021 edition included an article contributed by the Town of East Hampton titled "Implementing the Watershed Protection Plan for Lake Pocotopaug", highlighting local actions by community members /Sent for general distribution to all 10 watershed towns, shared on social media and used as handouts for in-person events/general public 100s.

May-September 2021: Launching and field checking HOBO stream temperature loggers/Field Work and Intern training: Partnering with DEEP Water Quality Monitoring and Fisheries Depts. Documenting summer stream temperatures using HOBO loggers. Loggers take hourly readings and are launched in 10 locations throughout the watershed. Loggers were retrieved and data downloaded in October and November 2021 and will be added to watershed temperature mapping to compare with local land-use. Regional data storage site (http://db.ecosheds.org/) /2 college student interns, in partnership with town land-use staff and

June-August 2021: *Field Monitoring at local streams* /Fourth year for two routes established in 2018. Upgraded monitoring equipment to YSI unit. Baseline water quality monitoring at 11 stream segments through the watershed to establish baseline data and track future changes. Previous monitoring had led to a second project of logging conductivity as a means to track chloride (salt) intrusion. Summer intern and volunteers were trained on hand-held monitoring equipment and took weekly samples for temperature, pH, dissolved oxygen, conductivity, total dissolved solids and salinity. A summary report will be generated and forwarded to all 10 watershed towns and shared with DEEP/1 summer intern and 8 community volunteers and 10 watershed towns.

August 2021: *Hebron Day Celebration-Public Event*/ Booth Set-up with display on SRWP activities and sign-up for water quality monitoring-special focus on impacts of water quality to macroinvertebrates, new display showing all water quality monitoring sites and a take home brochure including steps landowners can take to protect water quality/General public-100s+

September 2021: *East Haddam Day-sponsored by EH Business Association-Public Event/*Booth Set-up with display on SRWP activities and sign-up for water quality monitoring-special focus on impacts of water quality to macroinvertebrates, new display showing all water quality monitoring sites and a take home brochure including steps landowners can take to protect water quality/General public-100s+

September 2021: *Haddam Neck Fair-Public Event*/ Booth Set-up for three-day event with display on SRWP activities and sign-up for water quality monitoring-special focus on impacts of water quality to macroinvertebrates, new display showing all water quality monitoring sites and a take home brochure including steps landowners can take to protect water quality/General public-100s+

September 2021: *Samplepalooza with CT River Conservancy*/Submitted a grab sample for nutrient monitoring as part of CT River Conservancy's annual Samplepalooza 4-state CT River tributary monitoring effort-results to be reported by CT River Conservancy/staff.

September 2021: Community and State Environmental Leaders-Watershed Visioning Sessions/In 2021 SRWP initiated a long-term visioning process with a goal of establishing a path towards long term sustainability. Presentations and visioning sessions were held with Community and State Environmental Leaders to report on current SRWP activities, including water quality monitoring programs, and hear about other initiatives that would benefit the community/Invited municipal leaders of each watershed towns and other state organizations including DEEP, CRC, CT River Coastal Conservation District, Trout Unlimited and local education institutions.-50 participants

September-November 2021: Field Stream Assessment with Community Volunteers /Outdoor Field Training Presentation and 9 Stream Macroinvertebrate Assessments Conducted in 2021. One new site was added in 2021—A no-name tributary to Raymond Brook in Hebron, to collect baseline data ahead of potential future development at request of town. Volunteers collect and identify benthic macroinvertebrates as part of CT DEEP protocol for conducting stream assessments to establish whether segments are meeting state water quality goals for aquatic life support. 15 individuals in total participated.

October 2021: *Eightmile RiverFes-Public Event*/ Booth Set-up with display on SRWP activities and sign-up for water quality monitoring-special focus on impacts of water quality to macroinvertebrates, new display showing all water quality monitoring sites and a take home g brochure including steps landowners can take to protect water quality/General public-100s+

November 2021: *RHAM Middle School Education Program-Pond Life and Water Quality*ip Program involving field netting, species identification, discussion on adaptations and of impact of water quality on pondlife/80 RHAM 7th and 8th graders (Orange Team) and teachers.

Year round: Field Monitoring: Conductivity Logger Launching and hourly sampling for conductivity and temperature/Partnership project with GZA, Inc. Green Team (funding also received by GZA for 3 of the loggers in 2015) and SRWP. In 2020, due to rising concerns with chloride showing up in local streams, SRWP purchased 6 new HOBO conductivity loggers and refurbished 4 older loggers. After consultation with local municipalities and DEEP, 10 new sites were selected, with concentration in areas where there may be higher levels of chlorides present, ie downstream of larger transportation infrastructure. Data is shared with DEEP and USGS. /3 GZA Green Team members, DEEP Fisheries and Water Quality staff and SRWP staff.

Year round: *SRWP Outreach and Activities*/SRWP is funded primarily through 7 of the watershed towns. SRWP-Watershed Coordinator represents the Partnership on statewide issues related to water quality and non-point source pollution. Information is shared with 10 towns for their dispersal and use. Coordinator also comments as requested on town activities, regulations or planning projects specific to water quality and stormwater/10 watershed towns.

Year round: *SRWP Outreach: Facebook/* (https://www.facebook.com/10towns/) Salmon River Watershed Partnership Information pertaining to watershed monitoring efforts, opportunities to participate and actions local citizens can do to help protect streams./ general public-100s

Year round: *SRWP Outreach: Website* – *www.salmonriverct.org* /Website posts reports on water quality and monitoring and also offers information and links on issues related to Best Management Practices for Homeowners, Animal Owners and Business Owners/general public-100s

Year round: *SRWP Outreach: Instagram*/ Salmon River Watershed Partnership initiated a Instagram Account (www.instagram.com/salmonriverct) Information pertaining to watershed resources and outreach/general public-100s

APPENDIX B

BASELINE DCIA SPREADSHEET

TOWN OF GLASTONBURY DIRECTLY CONNECTED IMPERVIOUS COVER (DCIA) BY DRAINAGE BASIN

4000-00-6+R11 4000-00-6+R12 4000-00-6+R14 4000-00-6+R15 4000-00-6+R15 4000-00-6+R16	198.06 690.50		DOT Roads IC: (Acres)	Total IC Less DOT Roads: (Acres)	Watershed Total IC: (Acres)	Watershed Total IC %:	Connectivity Level:	Watershed Connected IC %:	Total Watershed Connected IC: (Acres)	Watershed Urban Area %	Adjusted Watershed Connected IC: (Acres
4000-00-6+R14 4000-00-6+R13 4000-00-6+R15 4000-00-6+R16		2.62 7.08	2.20 0.00	0.42 7.08	0.42 7.08	0.21% 1.03%	Slightly Connected Slightly Connected	0.00	0.00	100.00%	0.00
4000-00-6+R15 4000-00-6+R16	238.00	6.38	1.02	5.36	5.36	2.25%	Sorta Connected	0.16	0.38	100.00%	0.38
4000-00-6+R16	59.30	0.15	0.00	0.15	0.15	0.25%	Slightly Connected	0.00	0.00	100.00%	0.00
	40.06 730.25	0.80 51.69	0.40 1.90	0.40 49.79	0.40 49.79	1.00% 6.82%	Slightly Connected Sorta Connected	0.01 1.05	0.00 7.67	100.00% 100.00%	0.00 7.67
4000-00-6+R17	9.93	0.70	0.00	0.70	0.70	7.05%	Sorta Connected	1.11	0.11	100.00%	0.11
4000-00-6+R18	257.52	21.46	0.00	21.46	21.46	8.33%	Slightly Connected	0.69	1.78	100.00%	1.78
4000-30-1	725.79	47.88	3.41	44.47	44.47	6.13%	Sorta Connected	0.87	6.31	50.00%	3.16
4000-30-1-L1 4000-35-1	49.84 81.72	4.66 8.91	0.00 1.02	4.66 7.89	4.66 7.89	9.35% 9.65%	Sorta Connected Sorta Connected	1.79 1.89	0.89 1.54	100.00% 75.00%	0.89 1.16
4006-00-1	313.79	27.79	1.30	26.49	26.49	8.44%	Sorta Connected	1.50	4.71	50.00%	2.35
4006-00-2-L1	419.09	63.19	0.23	62.96	62.96	15.02%	Sorta Connected	4.00	16.76	100.00%	16.76
4006-00-2-R1	706.33	51.28	0.82	50.46	50.46	7.14%	Sorta Connected	1.13	7.98	100.00%	7.98
4006-00-2-R2 4006-00-2-R3	19.63 43.63	2.19 5.67	0.00	2.19 5.67	2.19 5.67	11.16% 13.00%	Sorta Connected	2.42 3.13	0.48 1.37	100.00% 100.00%	0.48 1.37
4006-00-2-R4	128.46	19.41	1.20	18.21	18.21	14.18%	Sorta Connected Sorta Connected	3.63	4.66	100.00%	4.66
4006-00-2-R5	476.32	138.84	10.55	128.29	128.29	26.93%	Wicked Connected	20.81	99.12	100.00%	99.12
4006-00-2-R6	422.37	143.36	20.95	122.41	122.41	28.98%	Fully Connected	28.98	122.41	100.00%	122.41
4006-00-2-R7 4006-01-1	5.85 152.19	0.00 14.81	0.00 0.44	0.00 14.37	0.00 14.37	0.00% 9.44%	Slightly Connected	0.00 1.82	0.00 2.77	100.00% 75.00%	0.00 2.08
4006-01-1 4006-01-1-L1	283.19	34.04	1.38	32.66	32.66	11.53%	Sorta Connected Sorta Connected	2.55	7.22	100.00%	7.22
4006-02-1	5.70	0.17	0.00	0.17	0.17	2.98%	Sorta Connected	0.26	0.01	100.00%	0.01
4006-02-1-L1	650.06	78.50	10.43	68.07	68.07	10.47%	Moderately Connected	3.39	22.04	100.00%	22.04
4006-03-1	338.35	31.99	0.66	31.33	31.33	9.26%	Moderately Connected	2.82	9.54	100.00%	9.54
4006-04-1 4006-04-1-L1	394.09 56.74	45.60 8.42	1.15 1.29	44.45 7.13	44.45 7.13	11.28% 12.57%	Sorta Connected Sorta Connected	2.46 2.96	9.69 1.68	100.00% 100.00%	9.69 1.68
4006-04-1-11	310.43	23.72	0.00	23.72	23.72	7.64%	Sorta Connected	1.27	3.94	100.00%	3.94
4006-06-1	336.09	57.72	0.00	57.72	57.72	17.17%	Moderately Connected	7.11	23.90	100.00%	23.90
4006-09-2-R3	321.14	103.46	14.94	88.52	88.52	27.56%	Wicked Connected	21.40	68.72	100.00%	68.72
4006-11-1-L1 4006-11-1-L3	167.76 37.12	43.53 7.10	0.00	43.53 7.10	43.53 7.10	25.95%	Moderately Connected	13.22 8.49	22.18 3.15	100.00%	22.18
4006-11-1-13	145.21	30.39	0.00	30.39	30.39	19.13% 20.93%	Moderately Connected Moderately Connected	9.58	13.91	100.00%	3.15 13.91
4006-13-1	504.34	92.72	17.04	75.68	75.68	15.01%	Fully Connected	15.01	75.68	100.00%	75.68
4007-00-1	673.29	211.48	14.43	197.05	197.05	29.27%	Fully Connected	29.27	197.05	100.00%	197.05
4007-00-1-L1	93.00	9.60	3.60	6.00	6.00	6.45%	Sorta Connected	0.95	0.88	100.00%	0.88
4007-00-1-L2 4007-00-1-L3	1,314.72 61.42	182.74 24.86	24.54 0.31	158.20 24.55	158.20 24.55	12.03% 39.97%	Moderately Connected Wicked Connected	4.17 33.43	54.82 20.53	100.00%	54.82 20.53
4007-00-1-L3 4007-00-2-R1	252.18	22.50	0.00	22.50	22.50	8.92%	Sorta Connected	1.65	4.16	100.00%	4.16
4007-00-3-R1	69.58	12.13	0.00	12.13	12.13	17.43%	Moderately Connected	7.28	5.07	100.00%	5.07
4007-00-3-R2	8.22	0.00	0.00	0.00	0.00	0.00%	Slightly Connected	0.00	0.00	100.00%	0.00
4007-01-1	556.20	93.74	4.34	89.40	89.40	16.07%	Moderately Connected	6.44	35.82	100.00%	35.82
4007-02-1 4007-02-2-R1	573.00 236.22	69.46 42.66	0.00 2.91	69.46 39.75	69.46 39.75	12.12% 16.83%	Moderately Connected Moderately Connected	4.22 6.90	24.18 16.30	100.00% 100.00%	24.18 16.30
4007-02-2-11	369.62	64.62	0.00	64.62	64.62	17.48%	Moderately Connected	7.31	27.02	100.00%	27.02
4007-04-1	706.53	96.70	5.59	91.11	91.11	12.90%	Sorta Connected	3.09	21.83	100.00%	21.83
4007-04-1-L1	149.65	16.55	0.00	16.55	16.55	11.06%	Sorta Connected	2.38	3.56	100.00%	3.56
4008-00-2-L1	217.52	24.67	4.27	20.40	20.40	9.38%	Sorta Connected	1.80	3.92	100.00%	3.92
4008-00-2-L2 4008-01-2-R1	856.20 648.94	47.59 28.83	3.54 8.76	44.05 20.07	44.05 20.07	5.14% 3.09%	Sorta Connected Sorta Connected	0.65 0.27	5.57 1.75	50.00% 25.00%	2.78 0.44
4008-03-1	818.79	29.45	0.00	29.45	29.45	3.60%	Sorta Connected	0.35	2.87	25.00%	0.72
4009-00-2-L2	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
4009-00-2-L3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
4009-00-2-L4 4009-00-2-R1	345.05 129.44	42.20 5.79	2.32 1.91	39.88 3.88	39.88 3.88	11.56% 3.00%	Sorta Connected Sorta Connected	2.57 0.26	8.87 0.34	100.00% 25.00%	8.87 0.08
4009-00-2-R2	538.97	32.68	1.51	31.17	31.17	5.78%	Sorta Connected	0.79	4.26	50.00%	2.13
4009-00-2-R3	90.34	16.30	1.79	14.51	14.51	16.06%	Sorta Connected	4.49	4.06	100.00%	4.06
4009-00-3-L5	96.94	9.80	0.63	9.17	9.17	9.46%	Sorta Connected	1.82	1.76	100.00%	1.76
4009-00-3-L6 4009-00-3-R1	182.41 50.00	20.37 6.86	0.00 1.73	20.37 5.13	20.37 5.13	11.17% 10.26%	Sorta Connected	2.42 2.09	4.41 1.05	100.00% 100.00%	4.41 1.05
4009-00-3-R1 4009-00-3-R2	491.16	66.19	10.75	55.44	55.44	11.29%	Sorta Connected Sorta Connected	2.46	12.08	100.00%	12.08
4009-00-3-R4	156.81	2.22	0.00	2.22	2.22	1.42%	Slightly Connected	0.02	0.03	50.00%	0.02
4009-00-3-R5	1,471.90	179.77	5.24	174.53	174.53	11.86%	Sorta Connected	2.68	39.45	100.00%	39.45
4009-03-1	997.57	47.72	3.14	44.58	44.58	4.47%	Sorta Connected	0.51	5.09	50.00%	2.54
4009-04-1 4009-05-1	399.52 177.94	46.96 15.46	4.95 0.00	42.01 15.46	42.01 15.46	10.52% 8.69%	Moderately Connected Sorta Connected	3.41 1.58	13.62 2.81	100.00% 75.00%	13.62 2.11
4009-05-2-R1	40.08	4.44	0.00	4.44	4.44	11.08%	Sorta Connected	2.39	0.96	100.00%	0.96
4009-05-2-R2	38.76	4.30	0.00	4.30	4.30	11.09%	Sorta Connected	2.39	0.93	100.00%	0.93
4009-06-1	382.93	14.64	0.00	14.64	14.64	3.82%	Sorta Connected	0.39	1.49	50.00%	0.75
4009-07-1	359.78 370.09	39.53 34.72	0.00	39.53	39.53	10.99%	Sorta Connected	2.35 0.87	8.45	75.00%	6.34
4009-08-1 4009-09-1	479.48	34.72 44.01	12.09 0.00	22.63 44.01	22.63 44.01	6.11% 9.18%	Sorta Connected Sorta Connected	1.73	3.22 8.30	100.00% 75.00%	3.22 6.22
4707-00-2-L3	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA
4707-00-2-R4	438.02	12.63	1.80	10.83	10.83	2.47%	Sorta Connected	0.19	0.83	100.00%	0.83
4707-04-1	NA	NA NA	NA NA	NA NA	NA	NA NA	NA NA	NA NA	NA NA	NA	NA NA
											NA NA
											NA 2.42
	100.51	8.66	0.00	8.66	8.66	8.62%	Sorta Connected	1.56	1.57	25.00%	0.39
TOTALS:	24,547.59	2,837.02	214.56	2,622.46	2,622.46				1,094.41		1,067.40
4707-04-1 4707-05-1 4707-06-1 4707-06-1-L1 4707-06-1-L2	NA NA NA 285.96 100.51	NA NA NA 27.96 8.66	NA NA NA 2.08 0.00	NA NA NA 25.88 8.66	NA NA NA 25.88 8.66	NA NA NA 9.05%	NA NA NA Sorta Connected	NA NA NA 1.69	NA NA NA 4.83 1.57	NA NA NA 50.00%	N N N 2.4 0.3

APPENDIX C

IDDE PROGRAM PLAN CATCHMENT EVALUATION

Table 6-1. Catchment Assessment and Priority Ranking Matrix

Catchment ID (CTDEEP Local Basin ID#)	Receiving Water	Previous Screening Results Indicate Likely Sewer Input? 1	Discharging to Area of Concern to Public Health? ²	Frequency of Past Discharge Complaints	Receiving Water Quality ³	Density of Generating Sites ⁴	Age of Development/ Infrastructure 5	Historic Combined Sewers or Septic? ⁶	Aging Septic? ⁷	Culverted Streams? ⁸	Additional Characteristics		
Inform	nation Source	Catchment inspections and sample results	GIS Maps	Municipal Staff	Impaired Waters List	Land Use/GIS Maps, Aerial Photography	Land Use Information, Visual Observation	Municipal Staff, GIS Maps	Land Use, Municipal Staff	GIS and Storm System Maps	Other	Score	Priority Ranking
Scor	ring Criteria	Yes = 3 (Problem Catchment) No = 0	Yes = 3 No = 0	Frequent = 3 Occasional = 2 None = 0	Poor = 3 Fair = 2 Good = 0	High = 3 Medium = 2 Low = 1	High = 3 Medium = 2 Low = 1	Yes = 3 No = 0	Yes = 3 No = 0	Yes = 3 No = 0	TBD		
4000-00- 6+R11	Connecticut River	0	0	0	3	0	0	0	0	0	Urbanized Area IC = >11 to 84% TMDL	3	Low Priority
4006-00-2- R7	Salmon Brook	0	0	0	3	0	0	0	0	0	Urbanized Area	3	Low Priority
4006-13-1	Salmon Brook	0	0	0	0	2	1	0	0	0	Urbanized Area IC = >11 to 84%	3	Low Priority
1006-09-2- R3	Salmon Brook	3	0	0	0	2	2	1	0	3	Urbanized Area IC = >11 to 84%	11	Problem
1006-12-1	Salmon Brook	0	0	0	0	1	2	0	0	0	Urbanized Area IC = >11 to 84%	3	Low Priority
1006-11-1- .3	Salmon Brook	0	0	0	0	1	2	0	0	0	Urbanized Area IC = >11 to 84%	3	Low Priority
1006-11-1- .1	Salmon Brook	0	0	0	0	1	2	0	0	0	Urbanized Area IC = >11 to 84%	3	Low Priority
1006-00-2- R6	Salmon Brook	3	0	0	0	2	2	3	0	3	Urbanized Area IC = >11 to 84%	13	Problem
1006-06-1	Salmon Brook	0	0	0	0	1	2	0	0	0	Urbanized Area IC = >11 to 84%	3	Low Priority
1006-00-2- .1	Salmon Brook	0	0	0	0	1	2	0	0	0	Urbanized Area IC = >11 to 84%	3	Low Priority
1000-00- 5+R12	Connecticut River	3	0	0	3	3	2	3	0	0	Urbanized Area TMDL	11	Problem
1007-00-1	Hubbard Brook	0	0	0	0	3	2	3	0	0	Urbanized Area IC = >11 to 84%	8	Medium Priority
4006-00-2- R5	Salmon Brook	0	0	0	0	2	2	0	0	0	Urbanized Area IC = >11 to 84%	4	Low Priority
1006-00-2- R4	Salmon Brook	0	0	0	0	1	2	0	3	0	Urbanized Area IC = >11 to 84%	6	Medium Priority
1006-00-2- R3	Salmon Brook	0	0	0	0	1	2	0	0	0	Urbanized Area IC = >11 to 84%	3	Low Priority
4006-00-2- R2	Salmon Brook	0	0	0	0	1	2	0	0	0	Urbanized Area IC = >11 to 84%	3	Low Priority
4006-02-1- .1	Salmon Brook	0	0	0	0	1	2	0	3	0	Urbanized Area IC = >11 to 84%	6	Medium Priority

Catchment ID (CTDEEP Local Basin ID#)	Receiving Water	Previous Screening Results Indicate Likely Sewer Input? 1	Discharging to Area of Concern to Public Health? 2	Frequency of Past Discharge Complaints	Receiving Water Quality ³	Density of Generating Sites ⁴	Age of Development/Infrastructure 5	Historic Combined Sewers or Septic? ⁶	Aging Septic? ⁷	Culverted Streams? 8	Additional Characteristics		
Inform	ation Source	Catchment inspections and sample results	GIS Maps	Municipal Staff	Impaired Waters List	Land Use/GIS Maps, Aerial Photography	Land Use Information, Visual Observation	Municipal Staff, GIS Maps	Land Use, Municipal Staff	GIS and Storm System Maps	Other	Score	Priority Ranking
Scori	ing Criteria	Yes = 3 (Problem Catchment) No = 0	Yes = 3 No = 0	Frequent = 3 Occasional = 2 None = 0	Poor = 3 Fair = 2 Good = 0	High = 3 Medium = 2 Low = 1	High = 3 Medium = 2 Low = 1	Yes = 3 No = 0	Yes = 3 No = 0	Yes = 3 No = 0	TBD		
4006-01-1-	Salmon Brook	0	0	0	0	1	2	0	3	0	Urbanized Area	6	Medium
L1											IC = >11 to 84%		Priority
4009-04-1	Roaring Brook	0	0	0	0	0	2	0	3	0	Urbanized Area IC = >11 to 84%	5	Low Priority
4007-00-1- L3	Hubbard Brook	0	0	0	0	2	2	0	0	0	Urbanized Area IC = >11 to 84%	4	Low Priority
4007-00-1- L2	Hubbard Brook	0	0	0	0	2	2	3	1	0	Urbanized Area IC = >11 to 84%	8	Medium Priority
4007-01-1	Hubbard Brook	0	0	0	0	0	2	3	0	0	Urbanized Area IC = >11 to 84%	5	Low Priority
4006-04-1	Salmon Brook	0	0	0	0	0	2	0	3	0	Urbanized Area IC = >11 to 84%	5	Low Priority
4006-04-1- L1	Salmon Brook	0	0	0	0	0	2	0	3	0	Urbanized Area IC = >11 to 84%	5	Low Priority
4007-00-2- R1	Hubbard Brook	0	0	0	0	0	2	3	0	0	Urbanized Area	5	Low Priority
4007-00-3- R1	Hubbard Brook	0	0	0	0	0	2	3	0	0	Urbanized Area IC = >11 to 84%	5	Low Priority
4007-00-3- R2	Hubbard Brook	0	0	0	0	0	0	0	0	0	Urbanized Area	0	Low Priority
4007-02-2- R1	Hubbard Brook	0	0	0	0	1	2	3	0	0	Urbanized Area IC = >11 to 84%	6	Medium Priority
4007-03-1	Hubbard Brook	0	0	0	0	0	2	3	0	0	Urbanized Area IC = >11 to 84%	5	Low Priority
4007-04-1	Hubbard Brook	0	0	0	0	0	2	0	3	0	Urbanized Area IC = >11 to 84%	5	Low Priority
4007-02-1	Hubbard Brook	0	0	0	0	0	2	0	3	0	Urbanized Area IC = >11 to 84%	5	Low Priority
4007-04-1- L1	Hubbard Brook	0	0	0	0	0	2	0	3	0	Urbanized Area IC = >11 to 84%	5	Low Priority
4009-00-3- R5	Roaring Brook	0	0	0	0	1	2	3	3	0	Urbanized Area IC = >11 to 84%	9	Problem
4009-00-3- L6	Roaring Brook	0	0	0	0	0	2	0	3	0	Urbanized Area IC = >11 to 84%	5	Low Priority
4000-00- 6+R12	Connecticut River	0	3	0	3	0	0	0	0	0	Urbanized Area TMDL	6	Medium Priority

Catchment ID (CTDEEP Local Basin ID#)	Receiving Water	Previous Screening Results Indicate Likely Sewer Input? 1	Discharging to Area of Concern to Public Health? ²	Frequency of Past Discharge Complaints	Receiving Water Quality ³	Density of Generating Sites ⁴	Age of Development/ Infrastructure 5	Historic Combined Sewers or Septic? ⁶	Aging Septic? ⁷	Culverted Streams? 8	Additional Characteristics		
Inform	ation Source	Catchment inspections and sample results	GIS Maps	Municipal Staff	Impaired Waters List	Land Use/GIS Maps, Aerial Photography	Land Use Information, Visual Observation	Municipal Staff, GIS Maps	Land Use, Municipal Staff	GIS and Storm System Maps	Other	Score	Priority Ranking
Scor	ing Criteria	Yes = 3 (Problem Catchment) No = 0	Yes = 3 No = 0	Frequent = 3 Occasional = 2 None = 0	Poor = 3 Fair = 2 Good = 0	High = 3 Medium = 2 Low = 1	High = 3 Medium = 2 Low = 1	Yes = 3 No = 0	Yes = 3 No = 0	Yes = 3 No = 0	TBD		
4000-00- 6+R13	Connecticut River	0	3	0	3	0	0	0	0	0	Urbanized Area TMDL	6	Medium Priority
4000-00- 6+R15	Connecticut River	0	3	0	3	0	0	0	0	0	Urbanized Area IC = >11 to 84% TMDL	6	Medium Priority
4000-00- 6+R16	Connecticut River	0	3	0	3	0	2	0	3	0	Urbanized Area TMDL	5	Low Priority
4009-00-2- L4	Roaring Brook	3	3	2	0	1	2	0	3	0	Urbanized Area IC = >11 to 84% TMDL	14	Problem Angus Pond
4009-00-2- R3	Roaring Brook	0	0	0	0	1	2	0	3	0	Urbanized Area IC = >11 to 84%	6	Medium Priority
4009-00-2- R2	Roaring Brook	0	3	0	0	1	2	0	0	0	Urbanized Area	6	Medium Priority
4009-05-2- R2	Roaring Brook	0	0	0	0	0	2	0	0	0	Urbanized Area IC = >11 to 84%	2	Low Priority
4009-05-2- R1	Roaring Brook	0	0	0	0	0	2	0	0	0	Urbanized Area IC = >11 to 84%	2	Low Priority
4009-00-3- R1	Roaring Brook	0	0	0	0	0	2	0	3	0	Urbanized Area IC = >11 to 84%	5	Low Priority
4009-00-3- R2	Roaring Brook	0	0	0	0	2	2	0	3	0	Urbanized Area IC = >11 to 84%	7	Medium Priority
4008-00-2- L1	Cold Brook	0	0	0	0	0	2	0	0	0	Urbanized Area IC = >11 to 84%	2	Low Priority
4000-00- 6+R14	Connecticut River	0	0	2	3	0	2	0	0	0	Urbanized Area TMDL	4	Low Priority
4000-00- 6+R16	Connecticut River	3	0	2	3	1	2	0	3	0	Urbanized Area TMDL	11	Problem
4000-00- 6+R17	Connecticut River	0	0	0	3	0	2	0	0	0	Urbanized Area TMDL	5	Low Priority
4000-00- 6+R18	Connecticut River	0	0	0	3	1	2	0	0	0	Urbanized Area TMDL	6	Medium Priority
4000-30-1	Connecticut River	0	0	0	3	0	2	0	3	0	Urbanized Area TMDL	8	Medium Priority

Catchment ID (CTDEEP Local Basin ID#)	Receiving Water	Previous Screening Results Indicate Likely Sewer Input? 1	Discharging to Area of Concern to Public Health? ²	Frequency of Past Discharge Complaints	Receiving Water Quality ³	Density of Generating Sites ⁴	Age of Development/Infrastructure 5	Historic Combined Sewers or Septic? ⁶	Aging Septic? ⁷	Culverted Streams? 8	Additional Characteristics		
Inform	nation Source	Catchment inspections and sample results	GIS Maps	Municipal Staff	Impaired Waters List	Land Use/GIS Maps, Aerial Photography	Land Use Information, Visual Observation	Municipal Staff, GIS Maps	Land Use, Municipal Staff	GIS and Storm System Maps	Other	Score	Priority Ranking
Scor	ing Criteria	Yes = 3 (Problem Catchment) No = 0	Yes = 3 No = 0	Frequent = 3 Occasional = 2 None = 0	Poor = 3 Fair = 2 Good = 0	High = 3 Medium = 2 Low = 1	High = 3 Medium = 2 Low = 1	Yes = 3 No = 0	Yes = 3 No = 0	Yes = 3 No = 0	TBD		
4000-30-1- L1	Connecticut River	0	0	0	3	0	2	0	0	0	Urbanized Area TMDL	5	Low Priority
4000-35-1	Connecticut River	0	0	0	3	0	2	0	0	0	Urbanized Area TMDL	5	Low Priority
4006-02-1	Salmon Brook	0	0	0	0	0	0	0	0	0	Urbanized Area	0	Low Priority
4006-03-1	Salmon Brook	0	0	0	0	0	2	0	3	0	Urbanized Area	5	Low Priority
4007-00-1- L1	Hubbard Brook	0	0	0	0	0	2	0	0	0	Urbanized Area	2	Low Priority
4009-08-1	Roaring Brook	0	0	0	0	0	2	0	3	0	Urbanized Area	5	Low Priority
4009-00-2- R2	Roaring Brook	0	0	0	0	0	2	0	3	0	Urbanized Area	5	Low Priority
4009-00-2- R1	Roaring Brook	0	0	0	0	0	2	0	0	0	Urbanized Area	2	Low Priority
4009-03-1	Roaring Brook	0	0	0	0	0	2	0	0	0	Urbanized Area	2	Low Priority
4009-09-1	Roaring Brook	0	0	0	0	1	2	0	3	0	Urbanized Area	6	Medium Priority
4009-00-3- L5	Roaring Brook	0	0	0	0	0	2	0	3	0	Urbanized Area	5	Low Priority
4009-07-1	Roaring Brook	0	0	0	0	0	2	0	3	0	Urbanized Area	5	Low Priority
4009-05-1	Roaring Brook	0	0	0	0	0	2	0	3	0	Urbanized Area	5	Low Priority
4009-06-1	Roaring Brook	0	0	0	0	0	2	0	0	0	Urbanized Area	2	Low Priority
4009-00-3- R4	Roaring Brook	0	0	0	0	0	0	0	0	0	Urbanized Area	0	Low Priority
4009-00-2- L3	Roaring Brook	0	0	0	0	0	0	0	0	0	Urbanized Area	0	Low Priority
4009-00-2- L2	Roaring Brook	0	0	0	0	0	0	0	0	0	Urbanized Area	0	Low Priority
4008-00-2- L2	Cold Brook	0	0	0	0	0	2	0	3	0	Urbanized Area	5	Low Priority
4008-03-1	Cold Brook	0	0	0	0	0	2	0	0	0	Urbanized Area	2	Low Priority
4008-01-2- R1	Cold Brook	0	0	0	0	0	2	0	0	0	Urbanized Area	2	Low Priority
4707-06-1- L1	Blackledge River	0	0	0	0	0	2	0	0	0	Urbanized Area	2	Low Priority
4707-04-1	Blackledge River	0	0	0	0	0	2	0	0	0	Urbanized Area	2	Low Priority

Table 8-1. Outfall Catchment System Vulnerability Factor (SVF) Inventory

Catchment		1	2	3	4	5	6	7	8	9	10	11	12
ID (CTDEEP Local Basin ID #)	Receiving Water	History of SSOs	Common or Twin Invert Manholes	Common Trench Construction	Storm/Sanitary Crossings (Sanitary Above)	Sanitary Lines with Underdrains	Inadequate Sanitary Level of Service	Areas Formerly Served by Combined Sewers	Sanitary Infrastructure Defects	SSO Potential In Event of System Failures	Sanitary and Storm Drain Infrastructure >40 years Old	Septic with Poor Soils or Water Table Separation	History of BOH Actions Addressing Septic Failure
4000-00- 6+R11	Connecticut River	No	No	No	No	No	No	No	No	No	No	No	No
4006-00-2- R7	Salmon Brook	No	No	No	No	No	No	No	No	No	No	No	No
4006-13-1	Salmon Brook	No	No	No	No	No	No	No	No	No	Yes	No	No
4006-09-2- R3	Salmon Brook	No	No	No	No	No	No	No	No	No	Yes	No	No
4006-12-1	Salmon Brook	No	No	No	No	No	No	No	No	No	No	No	No
4006-11-1- L3	Salmon Brook	No	No	No	No	No	No	No	No	No	No	No	No
4006-11-1- L1	Salmon Brook	No	No	No	No	No	No	No	No	No	Yes	No	No
4006-00-2- R6	Salmon Brook	No	No	No	No	No	No	Yes	No	Yes	Yes	No	No
4006-06-1	Salmon Brook	No	No	No	No	No	No	No	No	No	Yes	No	No
4006-00-2- L1	Salmon Brook	No	No	No	No	No	No	No	No	Yes	Yes	No	No
4000-00- 6+R12	Connecticut River	No	No	No	No	No	No	Yes	No	No	Yes	No	No
4007-00-1	Hubbard Brook	No	No	No	No	No	No	Yes	No	Yes	Yes	No	No
4006-00-2- R5	Salmon Brook	No	No	No	No	No	No	No	No	Yes	Yes	No	No
4006-00-2- R4	Salmon Brook	No	No	No	No	No	No	No	No	Yes	Yes	No	Yes
4006-00-2- R3	Salmon Brook	No	No	No	No	No	No	No	No	Yes	Yes	No	Yes
4006-00-2- R2	Salmon Brook	No	No	No	No	No	No	No	No	Yes	Yes	No	No
4006-02-1- L1	Salmon Brook	No	No	No	No	No	No	No	No	No	No	Yes	Yes
4006-01-1- L1	Salmon Brook	No	No	No	No	No	No	No	No	No	No	Yes	Yes
4009-04-1	Roaring Brook	No	No	No	No	No	No	No	No	No	No	Yes	Yes
4007-00-1- L3	Hubbard Brook	No	No	No	No	No	No	No	No	Yes	Yes	No	No
4007-00-1- L2	Hubbard Brook	No	No	No	No	No	No	Yes	No	Yes	No	Yes	No

Catchment		1	2	3	4	5	6	7	8	9	10	11	12
ID (CTDEEP Local Basin ID #)	Receiving Water	History of SSOs	Common or Twin Invert Manholes	Common Trench Construction	Storm/Sanitary Crossings (Sanitary Above)	Sanitary Lines with Underdrains	Inadequate Sanitary Level of Service	Areas Formerly Served by Combined Sewers	Sanitary Infrastructure Defects	SSO Potential In Event of System Failures	Sanitary and Storm Drain Infrastructure >40 years Old	Septic with Poor Soils or Water Table Separation	History of BOH Actions Addressing Septic Failure
4007-01-1	Hubbard Brook	Yes	No	No	No	No	No	Yes	No	Yes	Yes	No	No
4006-04-1	Salmon Brook	No	No	No	No	No	No	No	No	No	No	No	Yes
4006-04-1- L1	Salmon Brook	No	No	No	No	No	No	No	No	No	No	No	Yes
4007-00-2- R1	Hubbard Brook	No	No	No	No	No	No	No	No	Yes	Yes	No	No
4007-00-3- R1	Hubbard Brook	No	No	No	No	No	No	No	No	No	Yes	No	No
4007-00-3- R2	Hubbard Brook	No	No	No	No	No	No	No	No	No	No	No	No
4007-02-2- R1	Hubbard Brook	No	No	No	No	No	No	Yes	No	Yes	Yes	No	No
4007-03-1	Hubbard Brook	No	No	No	No	No	No	Yes	No	Yes	No	No	No
4007-04-1	Hubbard Brook	No	No	No	No	No	No	No	No	No	No	No	Yes
4007-02-1	Hubbard Brook	No	No	No	No	No	No	No	No	Yes	No	No	Yes
4007-04-1- L1	Hubbard Brook	No	No	No	No	No	No	No	No	Yes	No	No	Yes
4009-00-3- R5	Roaring Brook	No	No	No	No	No	No	Yes	No	Yes	Yes	No	Yes
4009-00-3- L6	Roaring Brook	No	No	No	No	No	No	No	No	No	No	No	Yes
4000-00- 6+R12	Connecticut River	No	No	No	No	No	No	No	No	No	No	No	No
4000-00- 6+R13	Connecticut River	No	No	No	No	No	No	No	No	No	No	No	No
4000-00- 6+R15	Connecticut River	No	No	No	No	No	No	No	No	No	No	No	No
4000-00- 6+R16	Connecticut River	No	No	No	No	No	No	No	No	No	No	No	Yes
4009-00-2- L4	Roaring Brook	No	No	No	No	No	No	No	No	No	Yes	Yes	Yes
4009-00-2- R3	Roaring Brook	No	No	No	No	No	No	No	No	Yes	Yes	No	Yes
4009-00-2- R2	Roaring Brook	No	No	No	No	No	No	No	No	No	Yes	No	No
4009-05-2- R2	Roaring Brook	No	No	No	No	No	No	No	No	No	No	No	Yes
4009-05-2- R1	Roaring Brook	No	No	No	No	No	No	No	No	No	No	No	No

Catchment		1	2	3	4	5	6	7	8	9	10	11	12
ID (CTDEEP Local Basin ID #)	Receiving Water	History of SSOs	Common or Twin Invert Manholes	Common Trench Construction	Storm/Sanitary Crossings (Sanitary Above)	Sanitary Lines with Underdrains	Inadequate Sanitary Level of Service	Areas Formerly Served by Combined Sewers	Sanitary Infrastructure Defects	SSO Potential In Event of System Failures	Sanitary and Storm Drain Infrastructure >40 years Old	Septic with Poor Soils or Water Table Separation	History of BOH Actions Addressing Septic Failure
4009-00-3- R1	Roaring Brook	No	No	No	No	No	No	No	No	No	No	No	Yes
4009-00-3- R2	Cold Brook	No	No	No	No	No	No	No	No	No	Yes	No	Yes
4008-00-2- L1	Cold Brook	No	No	No	No	No	No	No	No	No	Yes	No	Yes
4000-00- 6+R14	Connecticut River	No	No	No	No	No	No	No	No	No	No	No	No
4000-00- 6+R16	Connecticut River	No	No	No	No	No	No	No	No	No	No	No	Yes
4000-00- 6+R17	Connecticut River	No	No	No	No	No	No	No	No	No	No	No	No
4000-00- 6+R18	Connecticut River	No	No	No	No	No	No	No	No	No	No	No	No
4000-30-1	Connecticut River	No	No	No	No	No	No	No	No	No	No	No	Yes
4000-30-1- L1	Connecticut River	No	No	No	No	No	No	No	No	No	No	No	No
4000-35-1	Connecticut River	No	No	No	No	No	No	No	No	No	No	No	No
4006-02-1	Salmon Brook	No	No	No	No	No	No	No	No	No	No	No	No
4006-03-1	Salmon Brook	No	No	No	No	No	No	No	No	Yes	No	No	Yes
4007-00-1- L1	Hubbard Brook	No	No	No	No	No	No	No	No	No	No	No	No
4009-08-1	Roaring Brook	No	No	No	No	No	No	No	No	No	No	No	Yes
4009-00-2- R2	Roaring Brook	No	No	No	No	No	No	No	No	No	No	No	Yes
4009-00-2- R1	Roaring Brook	No	No	No	No	No	No	No	No	No	No	No	No
4009-03-1	Roaring Brook	No	No	No	No	No	No	No	No	No	No	No	No
4009-09-1	Roaring Brook	No	No	No	No	No	No	No	No	No	No	No	Yes
4009-00-3- L5	Roaring Brook	No	No	No	No	No	No	No	No	No	No	No	Yes
4009-07-1	Roaring Brook	No	No	No	No	No	No	No	No	No	No	No	Yes
4009-05-1	Roaring Brook	No	No	No	No	No	No	No	No	No	No	No	Yes
4009-06-1	Roaring Brook	No	No	No	No	No	No	No	No	No	No	No	No

Catchment ID (CTDEEP Local Basin ID #)	Receiving Water	1 History of SSOs	2 Common or Twin Invert Manholes	3 Common Trench Construction	4 Storm/Sanitary Crossings (Sanitary Above)	5 Sanitary Lines with Underdrains	6 Inadequate Sanitary Level of Service	7 Areas Formerly Served by Combined Sewers	8 Sanitary Infrastructure Defects	9 SSO Potential In Event of System Failures	10 Sanitary and Storm Drain Infrastructure >40 years Old	11 Septic with Poor Soils or Water Table Separation	12 History of BOH Actions Addressing Septic Failure
4009-00-3-	Roaring	No	No	No	No	No	No	No	No	No	No No	No	Yes
R4	Brook												
4009-00-2-	Roaring	No	No	No	No	No	No	No	No	No	No	No	No
L3	Brook												
4009-00-2-	Roaring	No	No	No	No	No	No	No	No	No	No	No	No
L2	Brook												
4008-00-2-	Cold Brook	No	No	No	No	No	No	No	No	No	No	No	Yes
L2													
4008-03-1	Cold Brook	No	No	No	No	No	No	No	No	No	No	No	No
4008-01-2-	Cold Brook	No	No	No	No	No	No	No	No	No	No	No	No
R1													
4707-06-1-	Blackledge	No	No	No	No	No	No	No	No	No	No	No	No
L1	River												
4707-04-1	Blackledge	No	No	No	No	No	No	No	No	No	No	No	No
	River												
4707-00-2-	Blackledge	No	No	No	No	No	No	No	No	No	No	No	No
L3	River												
4707-00-2-	Blackledge	No	No	No	No	No	No	No	No	No	No	No	No
R4	River												
4707-06-1	Blackledge	No	No	No	No	No	No	No	No	No	No	No	No
	River												
4707-06-1-	Blackledge	No	No	No	No	No	No	No	No	No	No	No	No
L2	River												

Presence/Absence Evaluation Criteria:

- 1. History of SSOs, including, but not limited to, those resulting from wet weather, high water table, or fat/oil/grease blockages
- 2. Common or twin-invert manholes serving storm and sanitary sewer alignments
- 3. Common trench construction serving both storm and sanitary sewer alignments
- 4. Crossings of storm and sanitary sewer alignments where the sanitary system is shallower than the storm drain system
- 5. Sanitary sewer alignments known or suspected to have been constructed with an underdrain system
- 6. Inadequate sanitary sewer level of service (LOS) resulting in regular surcharging, customer back-ups, or frequent customer complaints
- 7. Areas formerly served by combined sewer systems
- 8. Sanitary sewer infrastructure defects such as leaking service laterals, cracked, broken, or offset sanitary infrastructure, directly piped connections between storm drain and sanitary sewer infrastructure, or other vulnerability factors identified through Inflow/Infiltration Analyses, Sanitary Sewer Evaluation Surveys, or other infrastructure investigations
- 9. Sewer pump/lift stations, siphons, or known sanitary sewer restrictions where power/equipment failures or blockages could readily result in SSOs
- 10. Any sanitary sewer and storm drain infrastructure greater than 40 years old
- 11. Widespread code-required septic system upgrades required at property transfers (indicative of inadequate soils, water table separation, or other physical constraints of the area rather that poor owner maintenance)
- 12. History of multiple health department actions addressing widespread septic system failures (indicative of inadequate soils, water table separation, or other physical constraints of the area rather that poor owner maintenance)